

Code: VM-101M

MONITOR HDMI, VGA, AUDIO **VM-101M** 10.1 " VILUX

Net: **104.13 EUR** Gross: **104.13 EUR**

CCTV monitor with solid metal housing. The monitor is compatible with a 16:10 aspect ratio. Control functions are made by control keys placed on the top of the housing.

Due to its dimensions can be used in vehicles and at small areas, where high resistance to environment conditions is required.

The monitor is equipped with 2 mounting systems: mounting in the VESA standard and a set of frames for aesthetic, internal flush screen mounting.



SPECIFICATION

Screen size:	10.1 "
Native resolution:	1280 x 800 px
Aspect ratios:	16 : 10
Matrix type:	MVA, LED backlight, Glossy matrix
Contrast:	1300 : 1
Brightness:	350 cd/m ²
Viewable angles:	170 ° horizontal 170 ° vertical
Response time:	25 ms
Speakers built-in:	—
Signal connectors:	1 x HDMI 1 x VGA 1 x Audio (Jack 3.5mm socket) 1 x 2.1/5.5 mm socket 12 V DC
Number of displayed colors:	16.7 M
Refresh frequency:	60 Hz
Housing type:	Metal
Monitor mounting standard:	VESA 75
Robbery protection:	—

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Parameters adjustment:	OSD - by monitor control keys
Designed to continuous operation 24/7:	✓
Main features:	• The set includes a set of frames for aesthetic, internal flush mounting of the screen • HDMI cable included
Power supply:	12 V DC / 2.6 A (power adapter included)
Power consumption:	≤ 21 W (operation)
Operation temp:	-10 °C ... 55 °C
Weight:	0.77 kg
Dimensions:	246 x 164 x 31 mm
Manufacturer / Brand:	VILUX
Guarantee:	2 years

PRESENTATION

Front view:



Top view (control keys visible):



Monitor connectors:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Rear view:



In the kit:



OUR OPINIONS



- Perfect to working machines (for example: forklifts, excavators, cranes) where additional camera view for operator is required.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------