Code: VMT-171 MONITOR VGA, 2xVIDEO, HDMI, AUDIO VMT-171 17 " Net: 177.39 EUR Gross: 177.39 EUR

CCTV monitor in plastic housing. Due to its picture ratio 4:3, this monitor is perfect solution for monitoring applications, because there is a natural image ratio (image is not horizontally scaled up). The LED matrix illumination technology allows to real colors reproduction, 40% lower current consumption and much lower failure rate compared to normal LCD monitors with CCFL illumination. Monitor is perfect solution to work with PC, where there is a need to view

the image from DVR in the same time. It has two types of mounting. As standalone or VESA 75 mounting.

This model is equipped with all kinds of inputs, what allows to display an image from any kind of signals using in CCTV systems. Interesting solution is placing the speakers of the back side of housing. It does not bother listening to the AUDIO from the recorder at the same time does not reduce the area of the monitor front panel.

The device is designed to continuous work in closed spaces.



SPECIFICATION

| Screen size: | 17 " |
|----------------------------|---|
| Native resolution: | 1280 x 1024 px |
| Aspect ratios: | 4:3 |
| Matrix type: | TFT-LCD color matrix |
| Matrix backlight: | In LED technology |
| Supported standards: | PAL/NTSC |
| Contrast: | 800 : 1 |
| Brightness: | 350 cd/m ² |
| View angle: | 170 ° horizontal 160 ° vertical |
| Response time: | 6 ms |
| Speakers built-in: | 2 x 3 W |
| Signal connectors: | Composite Video (BNC) sockets: 2x in, 1x out 1x VGA 1x HDMI Audio: 1x Jack (for VGA) 2x Cinch L/R (for Video 1/2) |
| Housing type: | Plastic |
| Monitor mounting standard: | VESA 75 |
| Power supply: | 12 V DC / 4 A (power adapter included) |



DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl POL; 60-713 Poznań; Graniczna 10 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

| Power consumption: | max. 48 W (operation) < 3 W (Standby mode) |
|----------------------|---|
| Monitor control: | OSD - by monitor control keys |
| Operation temp: | -20 °C 60 °C |
| Weight: | 3.94 kg |
| Dimensions: | 383 x 370 x 204 mm |
| Supported languages: | English, Chinese, French, Spanish, German, Portuguese, Russian, Italian |
| Guarantee: | 2 years |

PRESENTATION







DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl POL; 60-713 Poznań; Graniczna 10 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

2024-05-24

At the back panel there are control keys. Good solution for CCTV monitors:



Monitor connectors:



In the kit:



OUR OPINIONS

Ð

• LED matrix illumination technology. The VILUX company - relatively young, but very dynamic company entering to European market has specialized own production at CCTV monitors and their results in our opinion are really good.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm Gross Weight: 0 kg



DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl POL; 60-713 Poznań; Graniczna 10 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

2024-05-24