

Code: A19-TS-35/OB-4U

## HOUSING A19-TS-35/OB-4U

Net: 83.45 EUR Gross: 83.45 EUR

The enclosure with a DIN rail for RACK cabinets is intended for mounting equipment located inside DIN enclosures, for RACK 19" cabinets. The enclosure features a DIN rail, length: 24x1S. The height of the mounted module cannot exceed 160 mm. The enclosure can accommodate max. 24 fuses, 1 S wide.



### SPECIFICATION


Width:	19 "
Height:	4 U
Material:	Steel - powder painted
Color:	Black (RAL 9005)
"Index of Protection":	IP20
Application:	RACK 19"
Main features:	<ul style="list-style-type: none"><li>• TH-35 rail</li><li>• Corrosion resistance</li><li>• Possibility to mount of 24 fuses, 1 S wide</li><li>• 6-point fixing to the front RACK rails</li><li>• 6 pcs. of M6 screws with cage nuts included</li><li>• The enclosure features labeling field 420x20 mm</li><li>• 10 rubber bushings in the top and bottom part of the enclosure</li><li>• Mounting plate for a 17Ah/12V battery included</li></ul>
Operation temp:	-10 °C ... 40 °C
Weight:	3.73 kg
Dimensions:	<ul style="list-style-type: none"><li>• 445 x 170 x 155 mm Internal dimensions</li><li>• 481.5 x 175 x 234 mm External dimensions</li></ul>
Manufacturer / Brand:	PULSAR
Guarantee:	2 years

### PRESENTATION

Front view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Internal view:



Mounting side view:




Side view:






Dimensions:



Example of application:



In the kit:



**PACKAGE**

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

