

Code: ATK-D2/SMA

OMNIDIRECTIONAL ANTENNA ATK-D2/SMA

Net: 63.88 PLN Gross: 63.88 PLN

The ATK-D2/SMA indoor omnidirectional antenna used for distribution the amplified signal from GSM repeater. Compact and streamlined design makes antenna fits nicely with the surroundings.

When GSM repeater has been installed in large object, to increase the range of amplified GSM signal should be used a few indoor antennas.



SPECIFICATION

Frequency range:	806 ... 960 MHz 1710 ... 2500 MHz
Connector:	SMA-RP Plug
Gain :	max. 3 dB
Impedance:	50 Ω
Polarization:	Vertical
Main features:	• Small dimensions
Weight:	0.150 kg
Dimensions:	Ø 165 x 94 mm
Guarantee:	2 years

PRESENTATION

Antenna connector:




Mounting side view:





In the kit:



Method of mounting:



Antenna characteristics:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60