

Code: DS-PD2-P10P-W

## WIRELESS PIR DETECTOR **DS-PD2-P10P-W** AX-HUB Hikvision

Net: **23.95 EUR** Gross: **23.95 EUR**

Wireless motion detector, which is designed to detect the moving intruder within the system protected area. Thanks to pet immunity, the DS-PD2-P10P-W can provide protection even when small pets are moving around during surveillance.



### SPECIFICATION

Support:	AX-HUB
Battery power supply:	1 x CR123A - alkaline battery (included)
Battery lifetime:	~ 2 years
Frequency range:	868 MHz
Radio communication range (at open area):	max. 800 m
Recommended installation height:	1.8 ... 2.4 m
Detection angle / Detection range:	10 m / 85 ° (basic lens)
Digital temperature compensation:	✓
Pet immunity:	≤ 24 kg
Environment class:	II
Target speed range:	0.3 ... 3 m/s
Main features:	<ul style="list-style-type: none"><li>• Digital detector</li><li>• High immunity to false alarms thanks to the Blue Wave technology</li><li>• Advanced temperature compensation</li><li>• Tamper protection (detection of removing from mounting surface and enclosure opening)</li><li>• Test mode</li></ul>
Operation temp:	-10 °C ... 40 °C
Color:	White
Dimensions:	117 x 69 x 59 mm

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Weight:	0.128 kg
Manufacturer / Brand:	Hikvision
SAP Code:	302401116
Guarantee:	2 years

## PRESENTATION

Internal view:





Mounting side view:



Detector range:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



In the kit:



**PACKAGE**

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------