

Code: NVR2104HS-P-S3

## NVR NVR2104HS-P-S3 4 CHANNELS, 4 PoE DAHUA

Net: 287.19 EUR Gross: 287.19 EUR



### SPECIFICATION

|                                     |  |
|-------------------------------------|--|
| Standard:                           | TCP/IP   |
| Supported resolutions:              | max. 12 Mpx  |
| Video outputs:                      | 1 pcs HDMI<br>1 pcs VGA  |
| Audio support:                      | 4 Channels - Audio from cameras  |
| Audio inputs:                       | 1 pcs CINCH  |
| Audio outputs:                      | 1 pcs CINCH  |
| Image compression method:           | H.265+ / H.265 / H.264+ / H.264  |
| Supported hard drives:              | 1 x 16 TB SATA III   |
| Recording modes:                    | Manual, Motion Detection, Schedule   |
| Network protocols:                  | HTTP, HTTPS, TCP/IP, IPv4, RTSP, UDP, NTP, DHCP, DNS, SMTP, UPnP, IP Filter, DDNS, Alarm Server, IP Search, P2P, ONVIF   |
| External storage devices backup:    | Backup to USB drive (pendrive, external drive)   |
| Searching and playback the records: | Records searching: by time and events type. Records playback: forward, backward, fast, slow<br>"Frame by Frame" playback function  |
| Bitrate:                            | max. 80 Mbps   |
| Network functions:                  | Full support via network, Remote records copying, Web-Server built-in  |
| ONVIF:                              | ✓  |
| Mobile phones support:              | Port no.: 37777 or access by a cloud (P2P)<br>• Android: Free application <a href="#">DMSS</a><br>• iOS (iPhone): Free application <a href="#">DMSS</a><br><br>See how to configure the P2P function in Dahua recorders and how to enable the mobile application |
| Default IP address:                 | 192.168.1.108  |
| Default admin user / password:      | admin / -<br>The administrator password should be set at the first start   |
| Web browser access ports:           | 80, 37777  |
| PC client access ports:             | 37777  |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

|                                  |   |
|----------------------------------|---|
| Mobile client access ports:      | 37777   |
| RTSP URL:                        | rtsp://admin:haslo@192.168.1.108:554/cam/realmonitor?channel=1&subtype=0 - Main stream<br>rtsp://admin:haslo@192.168.1.108:554/cam/realmonitor?channel=1&subtype=1 - Sub stream   |
| Alarm inputs / outputs:          | —   |
| PTZ control:                     | ✓   |
| Motion Detection:                | ✓   |
| USB:                             | 2 pcs USB 2.0   |
| Intelligent image analysis:      | ✓   |
| Mouse support:                   | ✓   |
| IR remote controller in the set: | —   |
| Main features:                   | <p>Functions implemented in cooperation between the recorder and cameras that support these functions</p> <ul style="list-style-type: none"> <li>• Advanced peripheral protection functions: intrusion, crossing line with separate rules for vehicles and pedestrians,</li> <li>• SMD PLUS - searching for an object classified as: human, motor vehicle, non-motor vehicle,</li> <li>• Privacy zones</li> </ul> |
| Switch PoE:                      | 4-port PoE Switch built-in, 25.5 W / Channel - PoE (802.3af/at), max. 36 W (total)  |
| Power supply:                    | 53 V DC / 1.22 A (power adapter included)   |
| Weight:                          | 0.86 kg   |
| Dimensions:                      | 260 x 233 x 48 mm   |
| Supported languages:             | Polish, English   |
| Manufacturer / Brand:            | DAHUA   |
| Guarantee:                       | <b>3 years</b>  |

## PRESENTATION

Front panel:




Rear panel:



In the kit:



Example captures of device interface:



**OUR OPINIONS**



- o Audio transmission via network.

**PACKAGE**

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|