

Code: ACU-220/IT

WIRELESS SYSTEM CONTROL **ACU-220/IT** ABAX2 SATEL

Net: **278.06 EUR** Gross: **278.06 EUR**

The ACU-220/IT controller makes it possible to use wireless ABAX2 system devices with INTEGRA, INTEGRA Plus and VERSA control panels.

The ACU-220/IT module supports up to 48 wireless devices and, additionally, provides a number of tools streamlining installation and consecutive system maintenance.



SPECIFICATION

Support:	ABAX2
Inputs:	4 pcs programmable
Outputs:	8 pcs programmable
Number of supported wireless devices:	max. 48
Frequency band:	868 MHz ... 868.6 MHz
Range:	≤ 2000 m - in open area
Main features:	• Bidirectional encrypted radio communication • Support for up to 6 wireless keypads • Support for up to 256 keyfobs APT-200 • Connecting to the INTEGRA / INTEGRA Plus / VERSA panels via communication bus • Firmware update without need to unmount the device • Tamper protection (detection of removing from mounting surface and enclosure opening) • Possibility of autonomous operation or cooperation with any alarm control panel • Additional 4 outputs signaling controller status and connections to wireless devices
Power supply:	12 V DC
Current consumption:	max. 100 mA
Operation temp:	-10 °C ... 55 °C
Permissible relative humidity:	93 %
Weight:	0.222 kg
Dimensions:	159 x 126 x 32 mm
Manufacturer / Brand:	SATEL

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Guarantee:


2 years

PRESENTATION

Internal view of the housing:




Configuration switches:



Connectors:





Rear view:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

