

Code: VS-82

VGA SPLITTER FOR TWO MONITORS VS-82

Net: 88.89 SEK Gross: 88.89 SEK

The VGA splitter allows to connect a few monitors to the one DVR or PC. Long connection range and possibility to connect the devices in cascade provide to use this device in many universal applications.



SPECIFICATION

Input:	VGA : 1 x HDB-15 plug
Input signal possible standards:	DDC, DDC2, DDC2B (1 port only)
Output:	VGA : 2 x HDB-15 female
Supported resolutions:	1920x1440 @ 75 Hz
Bandwidth:	250 MHz
Possibility to connecting in cascade:	✓ max. 3 levels
Power supply:	5 V DC / 300 mA (power adapter included)
Operation temp:	0 °C ... 50 °C
Weight:	0.120 kg
Dimensions:	115 x 87 x 33 mm
Guarantee:	2 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Rear view (power connector):



In the kit:



Package:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------