

Code: DS-PDCM15PF-IR

SENSOR UNIT MODULE AX PRO **DS-PDCM15PF-IR** 2 mm Hikvision

Net: **150.68 EUR** Gross: **150.68 EUR**

The camera enables video verification of triggered alarm events. Viewing real-time images you can fast and accurate response to real alarm events.

The camera module is designed to work with selected models of the motion detectors: DS-PDTT15AM-LM-WB, DS-PDTT15AM-LM-WE, working with the Hikvision AX PRO wireless alarm systems.



SPECIFICATION

Support:	Detectors from HIKVISION AX PRO series - DS-PDTT15AM-LM-WB, DS-PDTT15AM-LM-WE
Sensor:	1/2.7 " Progressive Scan CMOS OS02D20
Resolution:	640 x 480 320 x 240 160 x 120
Range of IR illumination:	15 m
Lens:	2 mm @ F2.25
Camera view angle:	137 °
Format:	JPEG
Communication:	12 bit Communication interface
Main features:	• Detection : Video • 3D Noise Reduction • Day/night mode • IR illuminator • Very easy installation
Power supply:	3 V DC
Current consumption:	1200 mA
Housing:	Plastic
Color:	White
"Index of Protection":	IP66

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Operation temp:	-20 °C ... 60 °C
Permissible relative humidity:	10 % ... 90 %
Weight:	0.156 kg
Dimensions:	74 x 73 x 53 mm
Manufacturer / Brand:	Hikvision
SAP Code:	314300270
Guarantee:	3 years

PRESENTATION

Front view:



Bottom view:





Connectors:



Rear view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------