

Code: DS-PWA96-M2H-WE

WIRELESS ALARM CONTROL PANEL AX PRO **DS-PWA96-M2H-WE**

Hikvision

Net: **2 184.00 PLN** Gross: **2 184.00 PLN**

The DS-PWA96-M2H-WE wireless alarm control panel supports max. 96 devices.
The device allows you to handle max. 6 wireless sirens and up to 48 keyfobs.



SPECIFICATION


Mainboard inputs:	16 pcs
Mainboard outputs:	2 pcs
Maximal load:	1 A
Number of supported wireless detectors:	max. 96 pcs
Number of supported PIR Camera Detectors:	max. 48 pcs
Number of supported remote control keyfobs:	max. 48 pcs
The RFID cards/keyfobs support:	max. 48 pcs
Number of supported wireless sirens:	max. 6 pcs
Operating frequency range of the wireless devices:	868 MHz
Zones:	96
Timers:	✓
Users + admins:	30 + 1 + 1
Keyboard included:	—
Built-in modules:	• Wi-Fi module IEEE 802.11 b/g/n, 2.4 GHz • LAN, 10/100Mb 3G/4G module
Access from PC:	iVMS-4200 application



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


Mobile phones support:	✓
Main features:	• Bidirectional communication • Support for video events via a mobile client and email • Configuration via the www client, mobile client or software • Compliance with the SIA-Contact ID protocol • Compliance with the Tri-X/Cam-X protocol • LED indication • Emergency Power Supply : Place for battery 12 V / 7 Ah (not included) • Compliance to EN 50131 @ Grade 2 standard
Power supply:	100 V ... 240 V AC (cable included)
Housing:	Plastic
Color:	White
Operation temp:	-10 °C ... 55 °C
Weight:	1.1 kg
Dimensions:	260 x 198 x 86 mm
Manufacturer / Brand:	Hikvision
SAP Code:	302401941
Guarantee:	2 years

PRESENTATION



Internal view of the housing:







Connectors:



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60