

Code: INT-KWRL-BSB

## WIRELESS KEYBOARD WITH RFID INT-KWRL-BSB SATEL

Net: 245.00 PLN Gross: 245.00 PLN



The device is designed to work within two-way wireless ABAX system.

The INT-KWRL-BSB keypad is intended for daily operations and programming the Integra series alarm control system. With the LCD display showing text messages, even advanced functionalities of the alarm control unit are simple and convenient.

The built-in proximity card reader allows to operate the system without the necessity to remember passwords.

Keypad is powered by battery (included) and communicates with alarm control panel using a special radio transmission protocol (bidirectional communication).

### SPECIFICATION

Support:	INTEGRA, ABAX
Frequency band:	868 MHz ... 868.6 MHz
Main features:	<ul style="list-style-type: none"><li>• proximity reader built-in</li><li>• Large, easily readable LCD with backlight displaying detailed information on system state</li><li>• Operation status LED indicator</li><li>• Alarms: keypad hold-down PANIC, FIRE and AUX</li><li>• Buzzer for acoustic signaling of some system events</li><li>• Microswitch as tamper contact</li></ul>
Power supply:	2 x CR123A (included)
Color:	Black
Operation temp:	-10 °C ... 55 °C
Weight:	0.34 kg
Dimensions:	145 x 143 x 25 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

### PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60





In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60