

Code: IP-150S

ETHERNET COMMUNICATION MODULE **IP-150S** PARADOX

Net: **108.98 EUR** Gross: **108.98 EUR**

The IP-150S Ethernet Module is a device designed for use in intruder alarm systems for reporting purposes. This device allows to manage of the PARADOX alarm system via Internet by any website browser, or mobile application.




SPECIFICATION

Interface:	<ul style="list-style-type: none">• Port Ethernet 10/100 Mb/s,• 2 x port I/O,• 2 x port 4-pin
Main features:	<ul style="list-style-type: none">• Digiplex EVO / Spectra SP / MG5000 / MG5050 control panels support• Monitoring TCP/IP, UDP• Support for DHCP automatic address configuration• Open protocol for systems integration via the TCP/IP channel• Automatic events notification via Email messages• PARADOX system operation via web browser and mobile phone with iParadox application• Possibility to upgrade the firmware• 64 events buffer• Transmission encoding - AES 256 bit, MD5, RC4
Power supply:	13.8 V DC - Power supply from alarm control panel via serial bus
Current consumption:	max. 100 mA
Operation temp:	0 °C ... 45 °C
Weight:	0.045 kg
Dimensions:	109 x 30 x 22 mm
Manufacturer / Brand:	PARADOX
Guarantee:	2 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors view:





In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------