


Code: JA-190Y

GSM COMMUNICATION MODULE **JA-190Y** JABLOTRON

Price visible after login


The JA-190Y GSM communication module allows to manage the alarm control panel via the voice menu and events indication via SMS and voice messages sent directly from the control panel to the system administrator.



SPECIFICATION

Support:	JA-100K, JA-100KR
Main features:	<ul style="list-style-type: none">• The attached SIM card with a subscription plan adapted to the needs of the device• Phone notification : Voice message, SMS• Remote control of the system state via mobile phone
Compliance with standards:	EN 50131-1, EN 50131-3, EN 50131-10, EN 50136-1, EN 50136-2, ANSI SIA DC-09, T 031, EN 60950-1, ETSI EN 301 489-1, ETSI EN 301 489-7, EN 55022, EN 50130-4, ETSI EN 301 419-1, ETSI EN 301 511, ETSI EN 300 089
Power supply:	12 V DC (from alarm control panel)
Current consumption:	< 40 mA (operation) < 750 mA (max)
Weight:	0.023 kg
Dimensions:	83 x 39 x 25 mm
Manufacturer / Brand:	JABLOTRON
Guarantee:	2 years

PRESENTATION



Bottom view:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Antenna:



Antenna connector:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

