


Code: INTEGRA-24/EN

ALARM CONTROL PANEL INTEGRA-24/EN SATEL

Net: 148.98 EUR Gross: 148.98 EUR

The "INTEGRA" alarm control panels are not limited to protection against burglary, but they may also include access control systems and intelligent home systems. The device must work with CA-INTEGRA/KL-LCD keypad. Device has built-in 1.2A switching mode backup power supply with battery charging and diagnostic features. System operation is possible with LCD keypads, partition keypads, keyfobs and proximity cards or remotely with PC or mobile phone. Device has access control and home automation features. Flash firmware upgrade with a PC.



SPECIFICATION


Mainboard inputs:	4 pcs
Mainboard outputs:	4 pcs
Maximal number of supported inputs:	24 pcs
Maximal number of supported outputs:	24 pcs
Current-carrying capacity, low-current programmable outputs:	50 mA
Current-carrying capacity, high-current programmable outputs (+/-10%):	2 A - 2 pcs
Maximal load:	1.2 A
Users + admins:	16 + 1
Partitions:	1
Zones:	4
Expansion modules:	max. 32
Events memory:	439
Timers:	16
Supported keypads:	max. 4 pcs
Supporting the wireless ABAX system via bus:	✓
Keyboard included:	—
Enclosure included:	—
Protection class (Grade):	2
Main features:	• Access control and home automation functions
Power supply:	18 V AC / 204 mA
Operation temp:	-10 °C ... 55 °C
Permissible relative humidity:	93 %

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Dimensions:	142 x 106 mm
Weight:	0.128 kg
Supported languages:	English
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION

Control panel mainboard:



Connectors:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------