

Code: GREY-PLUS

DUAL TECHNOLOGY DETECTOR MICROWAVE + PIR **GREY-PLUS** SATEL

Net: **34.36 EUR** Gross: **34.36 EUR**

Digital dual technology detector equipped with PIR and microwave detection. When the PIR detector is activated, and the MW detection confirms the triggering of the PIR, then alarm signal will be sent to the alarm control panel.

The device is suitable for protection of rooms with sub-optimal environmental conditions - where drafts or intensive convection may occur, for example rooms with fireplaces or rooms with heating blast.



SPECIFICATION

Application:	Indoor
Pyroelectric sensor:	Double
Sensor type:	Passive Infra Red (PIR) and microwave (MW)
Range:	13 x 10 m
Sensitivity adjustment:	• PIR detector - By potentiometer • Microwave (MW) - By potentiometer
Microwave frequency band:	24 GHz
Pet immunity:	≤ 15 kg
Antimask feature:	✓
Alarm time:	2 s
Maximal outputs load:	40 mA / 16 V DC
Digital temperature compensation:	✓
Power supply:	12 V DC / 18 mA
Operation temp:	-10 °C ... 55 °C
Target speed range:	0.3 ... 3 m/s
Weight:	0.1 kg
Dimensions:	63 x 96 x 49 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


Internal view:



Description of particular elements of the device:



1. MW detector
 2. cable terminals
 3. LED indicator
 4. pyroelectric sensor
 5. tamper contact
 6. configuration jumpers
 7. fixing screw hole
 8. potentiometer for sensitivity control PIR
 9. potentiometer for sensitivity control MW
- Detector range:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60