

Code: ISC-PPR1-WA16G

# DUAL TECHNOLOGY DETECTOR MICROWAVE + PIR **ISC-PPR1-WA16G** **BOSCH**

Net: **45.51 EUR** Gross: **45.51 EUR**

Digital dual technology detector equipped with PIR and microwave detection. When the PIR detector is activated, and the MW detection confirms the triggering of the PIR, then alarm signal will be sent to the alarm control panel.

The device is suitable for protection of rooms with sub-optimal environmental conditions - where drafts or intensive convection may occur, for example rooms with fireplaces or rooms with heating blast.



## SPECIFICATION


Application:	Indoor
Pyroelectric sensor:	Double
Sensor type:	Passive Infra Red (PIR) and microwave (MW)
Range:	16 x 21 m
Detection angle:	87 °
Sensitivity adjustment:	By potentiometer - Microwave (MW)
Autodiagnosics:	✓
Alarm outputs:	NO/NC
Pet immunity:	—
Prealarm feature:	—
Maximal outputs load:	25 V DC / 125 mA
Digital temperature compensation:	✓
Power supply:	9 ... 15 V DC
Maximal current consumption:	18 mA
Operation temp:	-10 ... 55 °C
Main features:	<ul style="list-style-type: none"><li>• MANTIS - Patented active "Anti-Masking" technology</li><li>• "TriFocus" optics</li></ul>
Protection class (Grade):	EN50131-2-2 Grade 3
Weight:	0.19 kg

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Dimensions:	70 x 136 x 59 mm
Guarantee:	2 years

## PRESENTATION

Detector inner view:




Bottom view:



Rear view:



In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------