


Code: 12V/8A/PA9

## SWITCHING ADAPTER 12V/8A/PA9

Net: 44.64 EUR Gross: 44.64 EUR

The power supply adapter is placed inside an aesthetic, solid made metal enclosure. Adapter operation is indicated by LED placed on the casing box. The output voltage of the adapter is stabilized. The adaptor has 9 separate power lines (allows to connect up to 9 devices). Max. load of single output is 1.5A, but the total load is equal 8A and should not be exceeded. Assuming evenly consumption of all 9 outputs, the max. load per single output is equal 880mA. Each power line is protected by a polymer fuse and has a LED indicator informing about output voltage presence.

Attention! If the power adaptor is using for continuous work (24H) the rated current of the adaptor should be less than 80% of the maximal current. Please pay attention for proper cooling conditions of the power adaptor during work!



### SPECIFICATION

Adapter type:	Switching
Output voltage:	12 V DC
Output voltage adjustment:	11 ... 12.7 V
Max. output current (total):	8 A
Max. output current for single output:	1.5 A
LED indication:	✓
Protections:	<ul style="list-style-type: none"><li>• Overload</li><li>• Short-circuit</li></ul>
Input voltage:	230 V AC
Power:	96 W
Number of outputs:	9
Connector type:	Cable terminals
Housing type:	Metal, wall-mounted
Key closed:	✓
Weight:	1.47 kg
Dimensions:	236 x 207 x 52 mm
Guarantee:	2 years


### PRESENTATION

Power adapter view in lockable casing:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Internal view:



Side view:



Rear view:



In the kit:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------