

Code: POE-24-12W-G/OEM

SWITCHING ADAPTER **POE-24-12W-G/OEM** UBIQUITI

Net: **9.46 EUR** Gross: **9.46 EUR**

Switching adapter, it is designed to powering IP devices using PoE technology. Power adapter is not compatible with IEEE 802.3af standard.

Attention! If the power adaptor is using for continuous work (24H) the rated current of the adaptor should be less than 80% of the maximal current.

Please pay attention for proper cooling conditions of the power adaptor during work!



SPECIFICATION

| | |
|--------------------------------------|---|
| Number of inputs: | 1 pcs RJ-45 - 10/100/1000 Base-T |
| Maximal output current: | 500 mA |
| Output voltage: | 24 V DC |
| Input voltage: | 100 V ... 240 V AC @ 50/60 Hz |
| Output power: | 12 W |
| Protections: | <ul style="list-style-type: none">• Short-circuit• Overvoltage |
| Housing: | Plastic |
| LED indicators: | — |
| Operation temp. / Relative humidity: | 0 ... 40 °C |
| Weight: | 0.09 kg |
| Dimensions: | 87 x 44 x 30 mm |
| Manufacturer / Brand: | UBIQUITI |
| Guarantee: | 2 years |

PRESENTATION

Connectors view:



Rear view:



PACKAGE

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

| | |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

