


Code: SDIP-20-AD0

POE ADAPTER **SDIP-20-AD0** ATTE

Net: **99.00 PLN** Gross: **99.00 PLN**

The SDIP-20-AD0 adapter is designed to power additional devices via a PoE line or reduce the PoE voltage present in the RJ45 plug with a bandwidth of 10/100/1000 Mbps. Appropriate jumper combinations allow to select the appropriate PoE power supply configuration at the output as well as the output voltage level from the converter.

The device can be powered from the PoE 802.3af / PoE 802.3at or PoE PASSIVE switch.




SPECIFICATION


Output power:	max. 20 W
Number of inputs:	1 pcs RJ-45
Input voltage:	44 ... 56 V DC - PoE
Output voltage:	<ul style="list-style-type: none">• screw terminals : 5 V DC / 12 V DC / 24 V DC - Set with jumpers• Port LAN OUT - Set with jumpers - in accordance with the user manual
LED indicators:	DC output voltage presence indication
Main features:	<ul style="list-style-type: none">• Output voltages are configured using jumpers• "Index of Protection" : IP20
Protections:	—
Housing:	Plastic
Color:	Red
Operation temp:	-25 °C ... 50 °C
Weight:	0.04 kg
Dimensions:	73 x 52 x 21 mm
Manufacturer / Brand:	ATTE
Guarantee:	2 years

PRESENTATION


DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Top view:



Connectors:




Mounting side view:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Dimensions:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------