

Code: LZ-32/R19

## POWER SUPPLY DISTRIBUTOR LZ-32/R19

Net: 138.71 PLN Gross: 138.71 PLN

The LZ-32/R19 is a passive device that enables power ordered distribution from one or several higher power units.  
If necessary the terminals can be connected in parallel.



### SPECIFICATION

|                                        |                                                     |
|----------------------------------------|-----------------------------------------------------|
| Number of power outputs:               | 32 (4 x 8 outputs)                                  |
| Number of power inputs:                | 4 (one per each 8-outputs terminal)                 |
| Maximal power voltage:                 | 24 V DC (typical 12V)                               |
| Maximal power supply current:          | 5 A (for single terminal)                           |
| Max. output current for single output: | 1 A                                                 |
| Power connectors type:                 | Input : Cable terminals<br>Output : Cable terminals |
| Operation temp:                        | -50 °C ... 55 °C                                    |
| Permissible relative humidity:         | < 95 %                                              |
| Housing type:                          | 1 U Rack 19"                                        |
| Dimensions:                            | 483 x 44 x 24 mm                                    |
| Weight:                                | 0.380 kg                                            |
| Manufacturer / Brand:                  | DELTA                                               |
| Guarantee:                             | <b>3 years</b>                                      |

### PRESENTATION

Front panel:



Rear view:



Top view:




All terminals are separable:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Schematic diagram of distributor application with two different voltages option:



**PACKAGE**

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

