

Code: DRL-24V240W-1EN

## SWITCHING ADAPTER **DRL-24V240W-1EN** LYTE II Delta Electronics

Net: **287.18 PLN** Gross: **287.18 PLN**

Switching adapter installed on the TS35/7.5 or 15 DIN rail, resistant to high operation temperatures (up to 70°C).



### SPECIFICATION

Adapter type:	Switching
Power voltage:	90 ... 264 V AC
Output voltage:	24 V DC
Output voltage adjustment:	21.6 ... 26.4 V DC
Maximal load:	10 A
Output power:	240 W
Number of outputs:	2 pcs
Efficiency:	90 %
Housing type:	DIN
Protections:	<ul style="list-style-type: none"><li>• Short-circuit</li><li>• Overload</li><li>• Overvoltage</li><li>• Temperature</li></ul>
Operation temp. / Relative humidity:	-40 °C ... 70 °C / 20 ... 95 %
Weight:	0.62 kg
Dimensions:	123.6 x 116.8 x 40 mm
Manufacturer / Brand:	Delta Electronics
Guarantee:	<b>3 years</b>

### PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Front panel:



Connectors:






Rear view:



Rear panel (DIN rail installation):



**PACKAGE**

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

