

Code: PMT-24V100W2BA

SWITCHING ADAPTER **PMT-24V100W2BA** Delta Electronics

Net: **264.71 NOK** Gross: **264.71 NOK**

Small dimensions dual output switching power supply unit.

Attention! If the power adaptor is using for continuous work (24H) the rated current of the adaptor should be less than 80% of the maximal current.




SPECIFICATION

Adapter type:	Switching
Power voltage:	100 ... 240 V AC
Output voltage:	24 V DC
Output voltage adjustment:	21.6 ... 26.4 V
Maximal load:	4.5 A
Output power:	108 W
Number of outputs:	1 pcs
Protections:	<ul style="list-style-type: none">• Short-circuit• Overload• Overvoltage• Overheat• Electric shock protection
Operation temp. / Relative humidity:	-30 °C ... 70 °C / 5 % ... 95 %
Weight:	0.28 kg
Dimensions:	129 x 97 x 30 mm
Manufacturer / Brand:	Delta Electronics
Guarantee:	5 years

PRESENTATION

Adapter connectors:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




- L - Live wire (230V)
- N - Neutral wire
- FG - Grounding
- V - DC "-" output
- +V - DC "+" output
- ADJ - Output voltage adjustment



Dimensions:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

