

Code: CD-92B8

# CARBON MONOXIDE (CO) DETECTOR **CD-92B8** EURA / EL HOME

Net: **113.48 PLN** Gross: **113.48 PLN**

The CD-92B8 microprocessor-based digital gas detectors are characterized by reliability and low current consumption. A digital temperature compensation feature allows to operate within a wide temperature range.

Gas concentration above the threshold level triggers visual and audible alarm signals. Device should be mounted at a height of about 0.7 ... 1.8 m above the floor.



## SPECIFICATION

Detection:	Carbon Monoxide (CO)
Alarm signaling:	<ul style="list-style-type: none"><li>• Buzzer</li><li>• Blinking LED</li></ul>
Gas concentration to trigger alarm:	<ul style="list-style-type: none"><li>• 300 ppm for max. 3 mins</li><li>• 100 ppm for 10 ... 40 minutes</li><li>• 50 ppm for 60 ... 90 minutes</li><li>• 30 ppm for &gt;120 minutes</li></ul>
Battery power supply:	2 x battery LR3 (AAA) (included) Current consumption < 20 $\mu$ A - Standby
Main features:	<ul style="list-style-type: none"><li>• Alarm signaling &gt; 30 ppm</li><li>• Alarm memory</li><li>• LCD display</li><li>• Alarm siren &gt; 85 dB/m</li><li>• Test mode</li><li>• Silent mode</li><li>• Low battery level alarm</li><li>• Failure signaling</li><li>• Detector lifetime : 10 years</li></ul>
Operation temp:	0 °C ... 40 °C
Weight:	0.08 kg (without battery)
Dimensions:	Ø 98 x 25 mm
Manufacturer / Brand:	EURA / EL HOME
Guarantee:	<b>3 years</b>

## PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Front panel:



Mounting side view:



Place for batteries 2 x 1.5V AAA:



In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------