

Code: DG-1-TCM

NARCOTIC GAS DETECTOR **DG-1-TCM** SATEL

Net: **64.84 EUR** Gross: **64.84 EUR**

The DG-1-TCM microprocessor-based digital gas detectors are characterized by reliability and low current consumption. A digital temperature compensation feature allows to operate within a wide temperature range.

Gas concentration above the threshold level triggers visual and audible alarm signals. The detectors are intended to be used as part of a security system. The device should be mounted in low position, just above the floor.



SPECIFICATION


Detection:	Chloroform - CHCl_3 , Vapors of paints and lacquers, Chlorodifluoromethane, Freon, Tetrafluoroethane
Gas concentration to trigger alarm:	6000 ppm CHCl_3
Autodiagnostics:	✓
Prealarm feature:	—
Relay contacts rating (resistive load):	40 mA / 16 V DC
Power supply:	12 V DC / 80 ... 120 mA
Operation temp:	-10 °C ... 55 °C
Weight:	0.06 kg
Dimensions:	Ø 97 x 36 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION

Internal view:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Rear view + additional kit elements:



Description of particular elements of the device:



1. cable terminals
2. LED indicator
3. Buzzer
4. detector

- 5. tamper contact
- 6. fixing screw hole
- 7. configuration jumpers

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

