

Code: CD-40A2

CARBON MONOXIDE (CO) DETECTOR **CD-40A2**

Net: **124.54 PLN** Gross: **124.54 PLN**

The CD-40A2 microprocessor-based digital gas detectors are characterized by reliability and low current consumption. A digital temperature compensation feature allows to operate within a wide temperature range.

Gas concentration above the threshold level triggers visual and audible alarm signals. Device should be mounted at a height of about 1.5 m above the floor.



SPECIFICATION

Detection:	Carbon Monoxide (CO)
Alarm signaling:	<ul style="list-style-type: none">• Buzzer• Blinking LED
Gas concentration to trigger alarm:	300 ppm for max. 3 mins
Power supply:	230 V AC
Power consumption:	0.5 W - Standby
Main features:	<ul style="list-style-type: none">• Alarm siren 85 dB/m• Test mode• detector fault detection• Detection max. 25 m²
Operation temp:	4 °C ... 38 °C
Weight:	0.25 kg
Dimensions:	70 x 110 x 43 mm
Manufacturer / Brand:	EURA
Guarantee:	2 years

PRESENTATION

Front panel:



Side view:



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------