

Code: DS-PDMC-EG2-WE

## WIRELESS MAGNETIC CONTACT AX PRO **DS-PDMC-EG2-WE** Hikvision

Net: **49.11 EUR** Gross: **49.11 EUR**

The DS-PDMC-EG2-WE wireless detector (magnetic contact) is used to protection the windows and doors.



### SPECIFICATION

|                                           |                                                                                                                                                          |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Support:                                  | HIKVISION AX PRO                                                                                                                                         |
| Detection:                                | Opening the door or window                                                                                                                               |
| Break distance:                           | ~ 43 mm                                                                                                                                                  |
| Alarm signaling:                          | Signal to control panel                                                                                                                                  |
| Frequency range:                          | 868 MHz - Tri-X Wireless                                                                                                                                 |
| Radio communication range (at open area): | max. 1600 m                                                                                                                                              |
| Alarm inputs:                             | —                                                                                                                                                        |
| Battery:                                  | 1 x CR123A 3 V (included)                                                                                                                                |
| Backup time:                              | ~ 5 years                                                                                                                                                |
| Main features:                            | <ul style="list-style-type: none"><li>• Tamper protections</li><li>• Signal indicator</li><li>• Transmission encoding - 128-bit AES encryption</li></ul> |
| Operation temp:                           | -10 °C ... 55 °C                                                                                                                                         |
| Color:                                    | White                                                                                                                                                    |
| Weight:                                   | <ul style="list-style-type: none"><li>• 0.048 kg - Transmitter</li><li>• 0.012 kg - Magnet</li></ul>                                                     |
| Dimensions:                               | <ul style="list-style-type: none"><li>• 23 x 103 x 10 mm - Transmitter</li><li>• 13 x 34 x 11 mm - Magnet</li></ul>                                      |
| Country of origin:                        | China                                                                                                                                                    |

|                       |           |
|-----------------------|-----------|
| SAP Code:             | 314300060 |
| Manufacturer / Brand: | Hikvision |
| Guarantee:            | 2 years   |

## PRESENTATION

Front view:




Internal view of the housing:



Mounting side view:



In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|