

Code: DS-2CS54D7T-IRS(2.8mm)

HD-TVI CAMERA **DS-2CS54D7T-IRS(2.8mm)** - 1080p Hikvision

Net: **668.00 PLN** Gross: **668.00 PLN**

Megapixel camera with Progressive Scan CMOS sensor and HD-TVI (High Definition Transport Video Interface).

The HD-TVI interface allows to transmission of analog video signal via coaxial cable at resolutions up to 1080p. It enables the transmission of HD resolution images for even 500 m distance with keeping the low costs of the installation. During transmission there are no delays and is maintained the original, high quality image.



SPECIFICATION

Standard:	HD-TVI
Sensor:	Progressive Scan CMOS
Matrix size:	2.1 Mpx
Resolution:	1920 x 1080 - 1080p
Range of IR illumination:	20 m
IR illuminator power adjustment:	Automatic
Lens:	2.8 mm
View angle:	• 101 ° (manufacturer data) • 96 ° (our tests result)
IR illuminator support:	ICR - Movable InfraRed filter
S/N ratio:	> 62 dB
Video output:	1 Vpp / 75 Ω - HD-TVI, BNC socket
Audio:	• Microphone built-in • Audio output - CINCH
Main features:	• WDR - 120 dB - Wide Dynamic Range • DNR - Digital Noise Reduction • ICR - Movable InfraRed filter • AGC - Automatic Gain Control • BLC - Back Light Compensation • Mirror - Mirror image • Auto White Balance • Mirror - Mirror image • Sharpness - sharper image outlines
OSD menu:	✓
Power supply:	12 V DC / 420 mA
Power consumption:	≤ 5 W
Housing:	Dome, Metal
Color:	White

Vandal-proof:	IK07
"Index of Protection":	IP65
Operation temp:	-20 °C ... 45 °C
Weight:	0.25 kg
Dimensions:	100 x 97 x 47 mm
Manufacturer / Brand:	Hikvision
SAP Code:	300608335
Guarantee:	3 years

PRESENTATION

Internal view of the housing:




Mounting side view:




Camera dimensions:





In the kit:



OUR TESTS


Camera image at artificial illumination (about 30Lux):



Camera image at night conditions with internal built-in IR illuminator on:



Camera image at direct strong light opposite to camera:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------