

Code: APWK-LED

EMERGENCY DOOR RELEASE BUTTON **APWK-LED** YOTOGI

Net: **40.22 EUR** Gross: **40.22 EUR**

Door release button for trigger door opening signal in access control systems. Button reset is performed by using a dedicated key.

The APWK-LED button has optical and acoustic signaling. Optical signaling is provided by LED diodes. LED indicators can have two colors - green (normal state) or red (alarm state). The operation of the red LED can be set in one of three ways - on / off / flashing. It is also possible to set the operating mode of the acoustic signaling - silent / intermittent / continuous and to set the intensity of the generated sound.



SPECIFICATION


Contact type:	3 x NO/NC
Relay maximal load:	3 A / 125 V
Material:	ABS
"Index of Protection":	IP24
Main features:	• LED indication • Sound signaling • Alarm memory • Key for opening the enclosure included • Mount - Surface-mounted / Flush-mounted
Power supply:	• 12 V DC • 24 V DC
Current consumption:	• 12 V : 18 mA (operation) / 75 mA (alarm) • 24 V : 11 mA (operation) / 41 mA (alarm)
Color:	Green
Operation temp:	-30 °C ... 70 °C
Weight:	0.164 kg
Dimensions:	90 x 93 x 45 mm
Manufacturer / Brand:	YOTOGI
Guarantee:	2 years

PRESENTATION


DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Internal view:



Mounting side view:



Side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60