



	<a href="#">NVR NVR5464-EI 64 CHANNELS +eSATA WizSense DAHUA</a>	<a href="#">INSULATION STRIPPER HT-352</a>
		
	5538.00 PLN 5538.00 PLN	41.34 PLN 41.34 PLN
Standard	TCP/IP	...
Material	...	PET
Supported resolutions	max. 32 Mpx	...
Video outputs	2 pcs HDMI 4K 2 pcs VGA	...
Audio support	<ul style="list-style-type: none"> <li>• 64 Channels - Audio from cameras</li> <li>• Bi-directional audio streaming support</li> </ul>	...
Audio inputs	1 pcs CINCH	...
Audio outputs	2 pcs CINCH	...
Application	...	Cable RG59 , Cable RG6 , Cable RG-7 , Cable RG-11 , Telephone cable 4P / 6P / 8P
Image compression method	Smart H.265+ / H.265 / Smart H.264+ / H.264 / MJPEG	...
Bitrate	max. 384 Mbps	...
Main features	...	<ul style="list-style-type: none"> <li>• Adjustable stripping blades</li> <li>• High durability tool, made from high quality materials</li> </ul>
Supported hard drives	4 x 16 TB SATA + 1 x eSATA	...
Recording modes	Manual, Sensor, Motion detection, Schedule	...
External storage devices backup	Backup to USB drive (pendrive, external drive)	...
Searching and playback the records	<ul style="list-style-type: none"> <li>• Records searching: by time and events type. Records playback: forward, backward, fast, slow</li> <li>• Advanced searching (to the one second accuracy)</li> <li>• Smart Playback function</li> <li>• Records playback from max. 32 channels in the same time @ 1080p (without AI)</li> <li>• Records playback from max. 24 channels in the same time @ 1080p (AI)</li> </ul>	...
Network interface	2 x RJ-45 10/100/1000 Base-TX	...
Network functions	Full support via network, Remote records copying, Web-Server built-in	...
Network protocols	HTTP, HTTPS, TCP/IP, IPv4/IPv6, RTSP, UDP, SNMP, NTP, DHCP, DNS, SMTP, UPnP, IP Filter, PPPoE, FTP, DDNS, Alarm Server, IP Search, Multicast, P2P, Auto Register	...
ONVIF	21.12	...
Default IP address	192.168.1.108	...
Default admin user / password	admin / - The administrator password should be set at the first start	...

Mobile phones support	<p>Port no.: 37777 or access by a cloud (P2P)</p> <ul style="list-style-type: none"> <li>• Android: Free application <a href="#">DMSS</a></li> <li>• iOS (iPhone): Free application <a href="#">DMSS</a></li> </ul> <p>See how to configure the P2P function in Dahua recorders and how to enable the mobile application</p>	...
Web browser access ports	80, 37777	...
PC client access ports	37777	...
Mobile client access ports	37777	...
RTSP URL	<ul style="list-style-type: none"> <li>• rtsp://admin:hasło@192.168.1.108:554/cam/realmonitor?channel=1&amp;subtype=0 - Main stream</li> <li>• rtsp://admin:hasło@192.168.1.108:554/cam/realmonitor?channel=1&amp;subtype=1 - Sub stream</li> </ul>	...
USB	<p>1 pcs USB 2.0</p> <p>2 pcs USB 3.0</p>	...
Serial ports	RS-485, RS-232	...
Alarm inputs / outputs	16 / 6	...
PTZ control	<ul style="list-style-type: none"> <li>• IP Speed Dome Cameras</li> <li>• RS-485 - PELCO-D/P and others</li> </ul>	...
Motion Detection	✓	...
Intelligent image analysis	✓	...
Main features	<ul style="list-style-type: none"> <li>• Intelligent image analysis : crossing the line (tripwire), intrusion, face detection</li> <li>• SMD PLUS - searching for an object classified as: human, motor vehicle</li> <li>• Filtering of false alarms based on the recognition of persons and vehicles</li> <li>• Face recognition</li> <li>• Face analysis: determination of sex, age and characteristic elements of appearance (glasses, facial hair, mask)</li> <li>• Support for up to 20 face databases, including 20 000 face images</li> <li>• In the base other than face photography, can also be stored such information as: name, sex, date of birth, nationality, address, ID number</li> <li>• Intelligent face search by metadata of different targets or uploading pictures of faces to the device and comparing them with recorded faces by similarity</li> <li>• Privacy zones</li> <li>• Cooperation with POS (Point of Sale) terminals</li> </ul> <p>Functions implemented in cooperation between the recorder and cameras that support these functions :</p> <ul style="list-style-type: none"> <li>• ANPR</li> <li>• Authorized and unauthorized license plate lists: up to 20 000 records</li> <li>• counting people / vehicles</li> <li>• crowd gathering estimation</li> <li>• heat map</li> <li>• metadata handling - automatic photo taking and collection of information enabling the subsequent identification of people and vehicles that triggered the alarm (clothing, silhouette, face, features of motor and non-mechanical vehicles)</li> </ul>	...



Mouse support	✓	...
IR remote controller in the set	—	...
Power supply	100 ... 240 V AC @ 50 / 60 Hz	...
Power consumption	max. 13 W (without HDD)	...
Operation temp	-10 °C ... 55 °C	...
Weight	4.44 kg	0.14 kg
Dimensions	440 x 415 x 76 mm	192 x 45 x 33 mm
Supported languages	Polish, English, Bulgarian, Czech, Finnish, Greek, Romanian, Serbian, Slovenian, Hungarian	...
Manufacturer / Brand	DAHUA	...
Guarantee	3 years	2 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
 Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
 Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00