



	<a href="#">NVR NVR616H-64-XI 64 CHANNELS WizMind DAHUA</a>	<a href="#">TV-SAT LNB KONW/FULL-CORAB CORAB</a>
		
	33692.00 PLN 33692.00 PLN	14.06 PLN 14.06 PLN
Standard	IP	...
Type	...	SINGLE
Supported resolutions	max. 32 Mpx	...
Input frequency	...	<ul style="list-style-type: none"> <li>• 10.7 GHz ... 11.7 GHz</li> <li>• 11.7 GHz ... 12.75 GHz</li> </ul>
Video outputs	<ul style="list-style-type: none"> <li>• 2 pcs HDMI 4K</li> <li>• 1 pcs HDMI 8K</li> <li>• 1 pcs HDMI</li> <li>• 2 pcs VGA</li> </ul>	...
Output frequency	...	<ul style="list-style-type: none"> <li>• 950 - 1950 MHz</li> <li>• 1100 - 2150 MHz</li> </ul>
Oscillator frequency	...	9.75 GHz / 10.6 GHz
Audio support	<ul style="list-style-type: none"> <li>• 64 Channels - Audio from cameras,</li> <li>• Bi-directional audio streaming support</li> <li>• Audio detection</li> </ul>	...
S/N ratio	...	0.3 dB
Audio inputs	1 pcs CINCH	...
Number of outputs	...	1 pcs F socket
Audio outputs	2 pcs CINCH	...
Output impedance	...	75 Ω
LNB switch	...	—
Gain	...	58 dB
Image compression method	Smart H.265+ / H.265 / Smart H.264+ / H.264	...
Bitrate	max. 1280 Mbps	...
Main features	...	<ul style="list-style-type: none"> <li>• Housing - Waterproof</li> <li>• Current consumption : 120 mA (typical)</li> </ul>
Supported hard drives	16 x 20 TB SATA + 1 x eSATA , Raid 0/1/5/6/10	...
Recording modes	Manual, Sensor, Motion detection, Schedule	...
H/V polarization switching	...	11.5 V ... 14 V / 16 V ... 19 V DC
External storage devices backup	Backup to USB drive (pendrive, external drive)	...
Band switching	...	22 kHz
Neck diameter	...	40 mm

Searching and playback the records	<ul style="list-style-type: none"> <li>Records searching: by time and events type. Records playback: forward, backward, fast, slow</li> <li>Advanced searching (to the one second accuracy)</li> <li>Smart Playback function</li> <li>Records playback from max. 16 channels in the same time</li> </ul>	...
Network interface	4 x RJ-45 10/100/1000/2500 Base-TX	...
Network functions	Full support via network, Remote records copying, Web-Server built-in	...
ONVIF	2.2.06	...
Default IP address	192.168.1.108	...
Default admin user / password	admin / - The administrator password should be set at the first start	...
Mobile phones support	<p>Port no.: 37777 or access by a cloud (P2P)</p> <ul style="list-style-type: none"> <li>Android: Free application <a href="#">DMSS</a></li> <li>iOS (iPhone): Free application <a href="#">DMSS</a></li> </ul> <p>See how to configure the P2P function in Dahua recorders and how to enable the mobile application</p>	...
Web browser access ports	80, 37777	...
PC client access ports	37777	...
Mobile client access ports	37777	...
RTSP URL	<ul style="list-style-type: none"> <li>rtsp://admin:hasło@192.168.1.108:554/cam/realmonitor?channel=1&amp;subtype=0 - Main stream</li> <li>rtsp://admin:hasło@192.168.1.108:554/cam/realmonitor?channel=1&amp;subtype=1 - Sub stream</li> </ul>	...
USB	<ul style="list-style-type: none"> <li>2 pcs USB 2.0</li> <li>2 pcs USB 3.0</li> </ul>	...
Serial ports	<ul style="list-style-type: none"> <li>2 pcs RS-485</li> <li>1 pcs RS-232</li> </ul>	...
Alarm inputs / outputs	32 / 16	...
PTZ control	<ul style="list-style-type: none"> <li>IP Speed Dome Cameras</li> <li>RS-485 - PELCO-D/P and others</li> </ul>	...
Intelligent image analysis	✓	...
Motion Detection	✓	...



Main features	<ul style="list-style-type: none"> <li>• Intelligent image analysis : IVS analysis - 10 rules, scene changing, face detection,</li> <li>• SMD PLUS - searching for an object classified as: human, motor vehicle, non-motor vehicle</li> <li>• Filtering of false alarms based on the recognition of persons and vehicles</li> <li>• Face recognition - supports 6 types of facial attributes extraction</li> <li>• Face recognition and analysis in real time (up to 16 photos per second)</li> <li>• Support for up to 40 face databases, including 300 000 face images</li> <li>• metadata handling - automatic photo taking and collection of information enabling the subsequent identification of people and vehicles that triggered the alarm (clothing, silhouette, face, features of motor and non-mechanical vehicles)</li> <li>• AcuPick support - technology that uses artificial intelligence on both front-end and back-end to search through massive amounts of video data to quickly locate targets with high precision</li> <li>• EPTZ - advanced target detection and tracking algorithms that trigger alarms - can simultaneously zoom and track many people and/or vehicles</li> </ul> <p>Functions implemented in cooperation between the recorder and cameras that support these functions :</p> <ul style="list-style-type: none"> <li>• ANPR</li> <li>• Authorized and unauthorized license plate lists: up to 20 000 records</li> <li>• counting people / vehicles</li> <li>• crowd gathering estimation</li> <li>• heat map</li> </ul>	...
Mouse support	✓	...
IR remote controller in the set	—	...
Switch PoE	—	...
Power supply	100 ... 240 V AC @ 50 ± 2 Hz	...
Power consumption	max. 25 W (without HDD)	...
Operation temp	-10 °C ... 55 °C	...
Weight	11.95 kg	0.09 kg
Dimensions	485 x 508 x 133 mm	90 x 65 x 65 mm
Supported languages	Polish, English	...
Manufacturer / Brand	DAHUA	CORAB
Guarantee	3 years	2 years

