



	ACCESS POINT +ROUTER ARCHER-VR300 VDSL / ADSL 2.4 GHz, 5 GHz 300 Mbps + 867 Mbps TP-LINK	TV OR MONITOR MOUNT AX-SATURN RED EAGLE
		
	264.51 PLN 264.51 PLN	91.57 PLN 91.57 PLN
Frequency range	2.4 GHz, 5 GHz	...
Antenna type	4 x Omnidirectional antenna 5 dBi	...
Mounting standard	...	VESA 75, 100, 200, 200 x 100, 300, 400 x 200, 400
Screen size range	...	23 " ... 56 "
Bearing capacity	...	45 kg
Distance from mounting surface	...	81 ... 360 mm
Color	...	Black
Tilt adjustment	...	-12 ° ... 12 °
Horizontal rotation	...	-90 ° ... 90 °
Rotation in the plane of the screen	...	—
Standards	IEEE 802.11 b/g/n, IEEE 802.11 a/n/ac, IEEE 802.3, IEEE 802.3u, IEEE 802.3ab ITU G.993.2, ITU-T G.993.5 (G.vector), ITU-T G.998.4 (G.INP), Full-rate ANSI T1.413 Issue 2, ITU-T G.992.1(G.DMT), ITU-T G.992.2(G.Lite), ITU-T G.994.1 (G.hs), ITU-T G.995.1, ITU-T G.992.3 (G.DMT.bis), ITU-T G.992.4 (G.lite.bis), ITU-T G.992.5	...
LAN ports	• 1 x 10/100 Mbps - LAN/WAN, • 3 x 10/100 Mbps - LAN	...
LED indicators	Power, DSL, INTERNET, WLAN, LAN	...
WAN interface	• 1 x RJ-11, ADSL / ADSL2 / ADSL2+ / VDSL / VDSL2 • 1 x RJ-45	...
Transmitter power	< 20 dBm @ 2.4 GHz , < 23 dBm @ 5 GHz	...
Baud rates	300 Mbps @ 2.4 GHz + 867 Mbps @ 5 GHz	...

DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

DHCP server	✓	...
Firmware update	✓	...
DDNS	<ul style="list-style-type: none"> • DynDNS • No-IP 	...
Operation modes	ADSL/VDSL modem, Router, Access Point, Bridge WDS	...
Protections	<ul style="list-style-type: none"> • LAN : NAT, SPI network firewall, Access control, IP-MAC Binding, Support DoS defence, parental control • WLAN : WEP 64/128-bit, WPA/WPA2, WPA-PSK/WPA2-PSK, QSS (Quick Secure Setup) - WPS 	...
Management interface	Web browser, TP-LINK Tether	...
Main features	<ul style="list-style-type: none"> • Enable/disable wireless network • SSID hiding • QoS • WMM (Wi-Fi Multimedia), • Rate limit • Internet access filtering • Wireless transmission statistics • Firewall • Remote management • DHCP : DHCP server, DHCP client list • Port forwarding : Virtual Server, Port Triggering, DMZ, ALG, UPnP • VPN networks: IPsec VPN, L2TP VPN, PPTP VPN, VPN Pass-through • IPv6 compliance • Static / dynamic routing • Port Mapping • IGMP Snooping V1/V2/V3 • Guest Network - a separate and secure network for guests • Built-in 4-port switch • ON/OFF button • WPS button • The WPS function allows to easy establish an encrypted connection • RESET button • The DSL line splitter included 	...
Power supply	12 V DC / 1 A (power adapter included)	...

Operation temp	0 °C ... 40 °C	...
Permissible relative humidity	10 % ... 90 %	...
Weight	0.31 kg	4.02 kg
Dimensions	257 x 160 x 37 mm	433 x 150 x (81 ... 360) mm
Manufacturer / Brand	TP-LINK	RED EAGLE
Guarantee	2 years	2 years