



	<a href="#">AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR BCS-L-XVR1601-4KE-IV 16 CHANNELS BCS Line</a>	<a href="#">MOUNTING BRACKET FOR MOUNTING THE RECORDER IN THE RACK CABINET RM-1U-260 UNIVIEW</a>
		
	2819.00 PLN 2819.00 PLN	33.69 PLN 33.69 PLN
Application	...	UNIVIEW recorders of the NVR301 series
Standard	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP	...
Video inputs	16 pcs BNC	...
Video outputs	1 pcs HDMI 4K 1 pcs VGA	...
Audio inputs	1 pcs CINCH 16 Channels - Audio support via coaxial cable, HD-CVI only	...
Audio outputs	1 pcs CINCH	...
Image compression method	AI Coding / H.265+ / H.265 / H.264+ / H.264	...
Image records resolutions	<ul style="list-style-type: none"> <li>• AHD / HD-CVI / HD-TVI : 8 Mpx - 3840 x 2160 , 4K-N - 1920 x 2160 , 6 Mpx - 2880 x 1920 - HD-CVI only , 5 Mpx - 2592 x 1944 , 4 Mpx - 2560 x 1440 , 4M-N - 1280 x 1440 , 3 Mpx - 2048 x 1536 - AHD / HD-TVI only , 1080p - 1920 x 1080 , 720p - 1280 x 720</li> <li>• CVBS : 960H - 960 x 576</li> <li>• IP : max. 8 Mpx - 3840 x 2160</li> </ul>	...

Recording speed adjustment	8 Mpx IP @ 1 ... 25 fps 8 Mpx @ 1 ... 7 fps 4K-N @ 1 ... 15 fps 6 Mpx @ 1 ... 10 fps 5 Mpx @ 1 ... 12 fps 4 Mpx @ 1 ... 15 fps 4M-N @ 1 ... 25 fps 3 Mpx @ 1 ... 15 fps 1080p @ 1 ... 25 fps 720p @ 1 ... 25 fps 960H @ 1 ... 25 fps for each channel	...
Operation modes	16 x AHD / HD-CVI / HD-TVI / CVBS / IP + 16 x IP	...
Recording modes	Manual, Motion Detection, Schedule	...
Supported hard drives	1 x 16 TB SATA	...
External storage devices backup	Save single frames and whole records from DVR drive to the USB drive	...
Searching and playback the records	Records searching: by time + timeline with record type. Playback: forward, fast, slow, step Advanced searching (to the one second accuracy) All channels synchronous playback, Smart Search function 1/4/9/16 channel synchronous playback	...
Network functions	Full support via network, Remote records copying, Web-Server built-in max. 128 on-line users	...
USB	1 x USB 2.0 1 x USB 3.0	...
Mobile phones support	Port no.: 37777 or access by a cloud (P2P) • Android: Free application <a href="#">BCS Manager</a> • iOS (iPhone): Free application <a href="#">BCS Manager</a>	...
Alarm inputs / outputs	—	...
PTZ control	IP Speed Dome Cameras Control compatible with coax PTZ HD-CVI RS-485 - PELCO-D/P	...

Motion Detection	Split the screen into zones : 22 x 18 motion zones	...
Main features	<ul style="list-style-type: none"> <li>• Privacy zones - max. 4</li> <li>• SMD PLUS - searching for an object classified as: human, motor vehicle,</li> <li>• POS - support the machines installed in the points of sales and displaying the date from them as overlaid text on selected channel window,</li> <li>• Intelligent image analysis : crossing the line (tripwire), intrusion - classification of people and vehicles, face detection</li> </ul>	...
Mouse support	✓	...
IR remote controller in the set	✓	...
Power supply	12 V DC / 3 A (power adapter included)	...
Color	Black	Black
Weight	1.41 kg	0.182 kg
Dimensions	325 x 256 x 55 mm, RACK 19", 1U	112 x 44 x 28 mm
Supported languages	Polish, English	...
Manufacturer / Brand	BCS Line	UNIVIEW
Guarantee	3 years	2 years