

| | | |
|---------------------------------|---|---|
| | NVR DHI-NVR4208-8P-4KS2 8 CHANNELS +8-PORT SWITCH POE DAHUA | POWER DISTRIBUTION UNIT PR-1.5M-4G/W (4 OUTLETS) 1.3 m |
| |  |  |
| | 1709.00 PLN 1709.00 PLN | 15.28 PLN 15.28 PLN |
| Standard | TCP/IP | ... |
| Rated voltage | ... | 220 ... 240 V AC / 50 Hz |
| Total maximal current | ... | 10 A |
| Maximal total load | ... | 2500 W |
| Number of outlets | ... | 4 grounded outlets 10A/250V CEE 7/5 |
| Fuse | ... | — |
| Switch | ... | — |
| Wire gauge | ... | 3 x 1.5 mm ² |
| Length of the cable | ... | 1.3 m |
| Housing | ... | Plastic |
| Color | ... | White |
| Supported resolutions | 8 @ 3840 x 2160 px, 8 @ 3072 x 2048 px, 8 @ 2592 x 1944 px, 8 @ 2048 x 1536 px, 8 @ 1920 x 1080 px, 8 @ 1280 x 960 px, 8 @ 1280 x 720 px, 8 @ 720 x 576 px | ... |
| Video outputs | 1 pcs HDMI 1 pcs VGA | ... |
| Audio support | 8 Channels - Audio from cameras | ... |
| Audio inputs | 1 pcs Microphone CINCH | ... |
| Audio outputs | 1 pcs CINCH | ... |
| Image compression method | H.265 / H.264 / MJPEG | ... |
| Maximal total frame rate | 200 fps @ 3840 x 2160 px, 200 fps @ 3072 x 2048 px, 200 fps @ 2592 x 1944 px, 200 fps @ 2048 x 1536 px, 200 fps @ 1920 x 1080 px, 200 fps @ 1280 x 960 px, 200 fps @ 1280 x 720 px, 200 fps @ 704 x 576 px | ... |
| Supported hard drives | 2 x 6 TB SATA | ... |
| Recording modes | Manual, Sensor, Motion detection, Schedule | ... |
| Network protocols | HTTP, HTTPS, TCP/IP, IPv4/IPv6, UPnP, RTSP, UDP, SMTP, NTP, DHCP, DNS, DDNS, IP Filter, PPPoE, FTP, IP Search, ONVIF 2.4 | ... |
| External storage devices backup | Backup to USB drive (pendrive, external drive) | ... |

DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
 Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
 Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

| | | |
|------------------------------------|--|------------------|
| Searching and playback the records | Records searching: by time and events type. Records playback: forward, backward, fast, slow "Frame by Frame" playback function All channels synchronous playback, Smart Search function | ... |
| Bitrate | 200 Mbps (total) | ... |
| Network functions | Full support via network, Remote records copying, Web-Server built-in max. 128 on-line users | ... |
| Mobile phones support | Port no.: 37777 or access by a cloud (P2P) • Android: Free application DMSS • iOS (iPhone): Free application DMSS See how to configure the P2P function in Dahua recorders and how to enable the mobile application | ... |
| Default admin user / password | admin / admin | ... |
| Default IP address | 192.168.1.108 | ... |
| Web browser access ports | 80, 37777 | ... |
| Maximal total power | 80 W | ... |
| PC client access ports | 37777 | ... |
| Switch PoE | 8-port PoE Switch built-in, 25.5 W / Channel, PoE (802.3af/at) | ... |
| Mobile client access ports | 37777 | ... |
| Power consumption | ≤ 9.6 W (without HDD) | ... |
| RTSP URL | rtsp://admin:haslo@192.168.1.108:554/cam/realmonitor?channel=1&subtype=0 - Main stream rtsp://admin:haslo@192.168.1.108:554/cam/realmonitor?channel=1&subtype=1 - Sub stream | ... |
| Alarm inputs / outputs | 4 pcs / 2 pcs | ... |
| PTZ control | IP Speed Dome Cameras | ... |
| Motion Detection | 22 x 18 motion zones 6 sensitivity levels | ... |
| Intelligent image analysis | ✓ | ... |
| Mouse support | ✓ | ... |
| IR remote controller in the set | — | ... |
| Power supply | 230 V AC | ... |
| Weight | 2.55 kg | 0.3 kg |
| Dimensions | 375 x 328 x 53 mm | 196 x 54 x 39 mm |
| Supported languages | Polish, English | ... |



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

| | | |
|----------------------|---------|---------|
| Country of origin | China | ... |
| Manufacturer / Brand | DAHUA | ... |
| Guarantee | 3 years | 2 years |



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00