




	<a href="#">AHD, HD-CVI, HD-TVI, PAL CAMERA HAC-HDW2501TMO-A-0280B-S2 - 5 Mpx 2.8 mm DAHUA</a>	<a href="#">SMART LED LIGHTING CONTROLLER PIXELBOX/BLEBOX Wi-Fi, 5 ... 12 V DC</a>
		
	583.00 PLN 583.00 PLN	94.38 PLN 94.38 PLN
Application	...	Works with LED lighting - digital (ARGB/RGB) 12V WS2811/WS2815 LED strips
Standard	HD-CVI, HD-TVI, AHD, CVBS	...
Sensor	1/2.7 " Progressive Scan CMOS	...
Rated voltage	...	5 ... 12 V DC
Matrix size	5 Mpx	...
Maximal total load	...	60 W (power) , 20 mA (controlling)
Total maximal current	...	5 A
Number of inputs	...	1
Number of outputs	...	1 (power) , 1 (controlling)
Connector type	...	screw terminals
Wireless	...	Wi-Fi, 2.4 GHz - IEEE 802.11g
Mobile phones support	...	<ul style="list-style-type: none"> <li>• The <a href="#">wBox</a> free application on Android</li> <li>• The <a href="#">wBox</a> free application on iOS</li> </ul>
Resolution	2880 x 1620 - 5 Mpx - HD-CVI only : Aspect Ratio 16 : 9 , 2560 x 1440 - 3.7 Mpx , 1920 x 1080 - 1080p - HD-CVI only , 960 x 576 - 960H, PAL	...
Range of IR illumination	60 m	...
IR illuminator power adjustment	Automatic	...
Lens	2.8 mm	...
View angle	<ul style="list-style-type: none"> <li>• 111 ° (manufacturer data)</li> <li>• 108 ° @ HD-CVI, 92 ° @ AHD / HD-TVI (our tests result)</li> </ul>	...

Main features	...	<ul style="list-style-type: none"> <li>• Local control by physical button,</li> <li>• schedule,</li> <li>• timer,</li> <li>• remote access,</li> <li>• voice control,</li> <li>• Controlling the color, effect, changing time allows any interior arrangement</li> <li>• predefined effects,</li> <li>• effects modification,</li> <li>• Possibilities of controlling a digital LED strip consisting of 360 diodes, groups or matrices</li> <li>• Possibility to cut off the power supply of the LED strip when it is switched off (energy saving)</li> <li>• µWiFi technology support</li> </ul>
Video output	AHD / HD-CVI / HD-TVI / CVBS, 1 Vpp / 75 Ω	...
Operation temp	...	-20 °C ... 50 °C
Audio	<ul style="list-style-type: none"> <li>• Microphone built-in,</li> <li>• Audio support via coaxial cable - HD-CVI only</li> </ul>	...
Main features	<ul style="list-style-type: none"> <li>• WDR - 120 dB - Wide Dynamic Range</li> <li>• 2D-DNR, 3D-DNR - Digital Noise Reduction</li> <li>• BLC/HLC/HLC-Pro - Back Light / High Light Compensation</li> <li>• ICR - Movable InfraRed filter</li> <li>• Day/night mode</li> <li>• AGC - Automatic Gain Control</li> <li>• Auto White Balance</li> <li>• Privacy zones</li> <li>• Mirror - Mirror image</li> <li>• Sharpness - sharper image outlines</li> </ul>	...
OSD menu	OSD menu available via DAHUA recorder	...
Power supply	12 V DC / 490 mA	...
Power consumption	≤ 5.9 W	...
Housing	Dome, Metal + Plastic	Plastic
"Index of Protection"	IP67	IP20
Color	White	Black
Vandal-proof	—	...
Operation temp	-40 °C ... 60 °C	...
Weight	0.42 kg	0.02 kg
Dimensions	Ø 122 x 99 mm	36 x 26 x 19 mm

Manufacturer / Brand	DAHUA	BleBox
Guarantee	3 years	2 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00