



	IP CAMERA APTI-AI508V3IW-36AD Smart Dual Illumination Active Deterrence - 5 Mpx 2.8 mm	ACCESS CONTROLLER ASC2204B-S DAHUA
		
	344.00 PLN 344.00 PLN	1181.00 PLN 1181.00 PLN
Standard	IP	...
Number of served transitions	...	4 (one-way)
Support	...	DAHUA
Number of supported readers	...	4 pcs
Battery backup support	...	—
Output lines	...	5 pcs - Relay
Communication	...	<ul style="list-style-type: none"> • RS-485, • Ethernet, • Wiegand
Resolution	2592 x 1944 - 5 Mpx , 2560 x 1440 - 3.7 Mpx , 1920 x 1080 - 1080p , 1280 x 720 720p	...
Sensor	1/2.8 " SONY Starvis™ Back-illuminated CMOS	...
Lens	2.8 mm @ F1.6	...
View angle	106 °	...
Range of IR illumination	25 m	...
White light LED illuminator range	25 m	...
Main features	...	<ul style="list-style-type: none"> • 100000 indexed users • History of 150000 events • Remote programming from PC • Function of protection against multiple use of the same card for access (anti-passback) • Counter of the door opening time with the possibility of sending an alarm signal after exceeding the set value • Automatic sending of alarm messages to the SmartPSS system or after entering a code, card or fingerprint defined as door opening under duress

Memory card slot	Micro SD memory cards up to 1TB support (possible local recording)	...
Operation temp	...	-30 °C ... 60 °C
Permissible relative humidity	...	max. 95 % (non-condensing)
Image compression method	H.265+ / H.265 / H.264+ / H.264 / AVI / JPEG	...
Alarm inputs / outputs	1 / 1	...
Audio	<ul style="list-style-type: none"> • Microphone built-in, • Speaker built-in, • Bi-directional audio streaming support 	...
Main stream frame rate	max. 25 fps @ 5 Mpx	...
Interface	10/100 Base-T (RJ-45)	...
WEB Server	Built-in	...
Max. number of on-line users	10	...
ONVIF	19.12	...
Intelligent image analysis	<ul style="list-style-type: none"> • intrusion - classification of people and vehicles • crossing the line (tripwire) - classification of people and vehicles • detection of people gathering (human silhouette) • loitering detection (human silhouette) • motion detection based on human detection 	...



Main features	<ul style="list-style-type: none"> • Smart Dual Illumination technology - IR or LED illuminator works in night mode. White light will turn on automatically only when an object is detected in the monitored area, which effectively improves image quality • Active deterrence function - Red and blue LEDs, Beep signal • Day/Night mode - configurable • ICR - Movable InfraRed filter • Configurable: brightness, contrast, saturation • Sharpness - sharper image outlines • Mirror - Mirror image • 3D-DNR - Digital Noise Reduction • WB - White Balance • Flicker Control - The technology eliminates the tiring eyes flickering image effect • video tampering • HLC - High Light Compensation (spot) • Corridor mode • ROI - improve the quality of selected parts of image • BLC - Back Light Compensation • WDR - Wide Dynamic Range • Motion Detection • Privacy zones - max. 3 • AGC - Automatic Gain Control 	...
Mobile phones support	<p>Port no.: 80 or access by a cloud (P2P)</p> <ul style="list-style-type: none"> • Android: Free application BitVision • iOS (iPhone): Free application BitVision 	...
Default IP address	192.168.1.168	192.168.0.2
Default admin user / password	admin / admin	admin / - The administrator password should be set at the first start
Web browser access ports	80	...
PC client access ports	80	...
Mobile client access ports	80	...
Port ONVIF	80	...
RTSP URL	rtsp://user:password@ip_address:80/0 - Main stream rtsp://user:password@ip_address:80/1 - Sub stream	...

Power supply	• PoE (802.3af), • 12 V DC / 350 mA	12 V DC / 1.4 A
Power consumption	≤ 4.2 W	...
Housing	Dome, Metal	...
Color	White	...
"Index of Protection"	IP67	...
Mechanical protection class	—	...
Operation temp	-30 °C ... 60 °C	...
Weight	0.73 kg	0.354 kg
Dimensions	Ø 127 x 120 mm	207 x 116 x 52 mm
Supported languages	Polish, English, French, Russian, Hebrew, Spanish, Portuguese, Italian, Ukrainian, Hungarian	...
Manufacturer / Brand	APTI	DAHUA
Guarantee	2 years	3 years