

	<a href="#">IP CAMERA IPC-HFW2241S-S-0360B WizSense - 1080p 3.6 mm DAHUA</a>	<a href="#">WI-FI SMART PLUG ATLO-P1U2-TUYA Wi-Fi, Tuya Smart</a>
		
	789.00 PLN 789.00 PLN	47.93 PLN 47.93 PLN
Standard	TCP/IP	...
Sensor	1/2.8 " Progressive Scan CMOS	...
Rated voltage	...	100 ... 240 V
Matrix size	2.1 Mpx	...
Maximal total load	...	2300 W
Total maximal current	...	<ul style="list-style-type: none"> <li>• 10 A @ 230 V AC</li> <li>• 2 x 1 A @ 5 V DC</li> </ul>
Resolution	1920 x 1080 - 1080p 1280 x 960 - 1.3 Mpx 1280 x 720 - 720p	...
Lens	3.6 mm	...
View angle	88 °	...
Number of outlets	...	<ul style="list-style-type: none"> <li>• 1 pcs - 230 V AC,</li> <li>• 2 pcs - 5 V DC USB</li> </ul>
Range of IR illumination	30 m	...
RS-485 interface	—	...
Memory card slot	Micro SD memory cards up to 256GB support (possible local recording)	...
Socket type	...	<ul style="list-style-type: none"> <li>• CEE 7/3 (Schuko),</li> <li>• 2 x USB-A</li> </ul>
Plug type	...	CEE 7/7
Grounding	...	✓
Image compression method	H.265+ / H.265 / H.264+ / H.264 / MJPEG	...
Wireless	...	Wi-Fi, 2.4 GHz - IEEE 802.11 b/g/n
Alarm inputs / outputs	—	...
Audio	<ul style="list-style-type: none"> <li>• Microphone built-in</li> <li>• Audio detection</li> </ul>	...
Main stream frame rate	25 fps @ 1080p	...
Network interface	10/100 Base-T (RJ-45)	...
Main features	...	<ul style="list-style-type: none"> <li>• schedule,</li> <li>• timer,</li> <li>• remote access,</li> <li>• voice control</li> <li>• Easy operation</li> <li>• ON/OFF button</li> <li>• STATUS indicator</li> </ul>
Operation temp	...	-20 °C ... 50 °C
Permissible relative humidity	...	≥ 80 %
Network protocols	IPv4/IPv6, HTTP, TCP, UDP, ARP, RTP, RTSP, RTCP, RTMP, SMTP, FTP, SFTP, DHCP, DNS, DDNS, NTP, Multicast, ICMP, IGMP	...

DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

WEB Server	Built-in	...
Max. number of on-line users	6	...
ONVIF	21.06	...
Mobile phones support	Port no.: 37777 or access by a cloud (P2P) • Android: Free application <a href="#">DMSS</a> • iOS (iPhone): Free application <a href="#">DMSS</a>	• The <a href="#">Tuya Smart</a> free application on Android • The <a href="#">Tuya Smart</a> free application on iOS
Default IP address	192.168.1.108	...
Default admin user / password	admin / - The administrator password should be set at the first start	...
Web browser access ports	80, 37777	...
PC client access ports	37777	...
Mobile client access ports	37777	...
Port ONVIF	80	...
RTSP URL	rtsp://admin:hasło@192.168.1.108:554/cam/realmonitor?channel=1&subtype=0 - Main stream rtsp://admin:hasło@192.168.1.108:554/cam/realmonitor?channel=1&subtype=1 - Sub stream	...
Main features	<ul style="list-style-type: none"> <li>• WDR - 120 dB - Wide Dynamic Range</li> <li>• 3D-DNR - Digital Noise Reduction</li> <li>• ROI - improve the quality of selected parts of image</li> <li>• BLC/HLC - Back Light / High Light Compensation</li> <li>• ICR - Movable InfraRed filter</li> <li>• Day/Night mode (color/b&amp;w/auto)</li> <li>• WB - White Balance (ATW/AWB/manual/indoor/outdoor)</li> <li>• AGC - Automatic Gain Control</li> <li>• Possibility to change the resolution, quality and bit rate</li> <li>• Configurable Privacy Zones</li> <li>• Mirror - Mirror image</li> <li>• Motion Detection</li> <li>• Privacy zones</li> <li>• SMD PLUS - searching for an object classified as: human, motor vehicle</li> <li>• IVS analysis : intrusion, crossing the line (tripwire) - classification of people and vehicles</li> </ul>	...
Power supply	<ul style="list-style-type: none"> <li>• PoE (802.3af),</li> <li>• 12 V DC / 350 mA</li> </ul>	...
Power consumption	<ul style="list-style-type: none"> <li>• ≤ 5.1 W @ PoE</li> <li>• ≤ 4.2 W @ 12 V DC</li> </ul>	...
Housing	Compact - Metal	Plastic
Color	White	White
"Index of Protection"	IP67	...
Operation temp	-40 °C ... 60 °C	...
Weight	0.47 kg	0.13 kg
Dimensions	Ø 70 x 166 mm	121 x 52 x 70 mm
Supported languages	Polish, English, Czech, French, Spanish, Dutch, German, Portuguese, Russian, Romanian, Turkish, Ukrainian, Hungarian, Vietnamese, Italian	...



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
 Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
 Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

Manufacturer / Brand	DAHUA	...
Guarantee	3 years	2 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00