


	<a href="#">EXPANSION PLUG KW-8/4X50 KLIMAS</a>	<a href="#">AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR XVR5432L-4KL-I3 32 CHANNELS DAHUA</a>
		
	0.12 AUD 0.12 AUD	3169.22 AUD 3169.22 AUD
Material	<ul style="list-style-type: none"> <li>Expansion plug, Polypropylene</li> <li>Screw, Steel galvanized</li> </ul>	...
Drilling diameter	8 mm	...
Standard	...	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP
Expansion plug length	40 mm	...
Video inputs	...	32 pcs BNC
Screw dimensions	Ø 4 x 50 mm, PZ-2	...
Video outputs	...	<ul style="list-style-type: none"> <li>2 pcs HDMI 4K</li> <li>1 pcs VGA</li> <li>1 pcs Video composite (BNC socket)</li> </ul> There is a possibility to configure a SPOT function on one of the output
Application	<ul style="list-style-type: none"> <li>Concrete</li> <li>Solid clay brick</li> <li>Solid sand-lime brick</li> </ul>	...
Audio inputs	...	<ul style="list-style-type: none"> <li>4 pcs BNC,</li> <li>1 pcs BNC - Microphone</li> <li>32 Channels - Audio support via coaxial cable, HD-CVI only</li> </ul>
Audio outputs	...	<ul style="list-style-type: none"> <li>1 pcs BNC</li> <li>1 pcs BNC - Microphone</li> </ul>
Image compression method	...	AI Coding / H.265+ / H.265 / H.264+ / H.264

Image records resolutions	...	<ul style="list-style-type: none"> <li>• AHD / HD-CVI / HD-TVI : 8 Mpx - 3840 x 2160 , 8M-N - 1920 x 2160 , 6 Mpx - 2880 x 1920 - HD-CVI only , 5 Mpx - 2592 x 1944 , 4 Mpx - 2560 x 1440 , 4M-N - 1280 x 1440 , 3 Mpx - 2048 x 1536 - AHD / HD-TVI only , 1080p - 1920 x 1080 , 720p - 1280 x 720</li> <li>• CVBS : 960H - 960 x 576</li> <li>• IP : max. 12 Mpx - 4000 x 3000</li> </ul>
Recording speed adjustment	...	<ul style="list-style-type: none"> <li>12 Mpx IP @ 1 ... 25 fps</li> <li>8 Mpx @ 1 ... 7 fps</li> <li>4K-N @ 1 ... 15 fps</li> <li>6 Mpx @ 1 ... 10 fps</li> <li>5 Mpx @ 1 ... 12 fps</li> <li>4 Mpx @ 1 ... 15 fps</li> <li>4M-N @ 1 ... 25 fps</li> <li>3 Mpx @ 1 ... 15 fps</li> <li>1080p @ 1 ... 25 fps</li> <li>720p @ 1 ... 25 fps</li> <li>960H @ 1 ... 25 fps</li> </ul> <p>for each channel</p>
Operation modes	...	32 x AHD / HD-CVI / HD-TVI / CVBS / IP
Recording modes	...	Manual, Sensor, Motion detection, Schedule
Supported hard drives	...	4 x 16 TB SATA + 1 x eSATA
External storage devices backup	...	Save single frames and whole records from DVR drive to the USB drive

Searching and playback the records	...	<p>Records searching: by time + timeline with record type.  Playback: forward, fast, slow, step  Advanced searching (to the one second accuracy)</p> <p>Intelligent face search AI - simultaneous search in the archive of face recordings based on max 8 photos taking into account the similarity threshold (for each photo separately)  1/4/9/16 channel synchronous playback</p>
Network functions	...	<p>Full support via network,  Remote records copying,  Web-Server built-in max. 128 on-line users</p>
Mobile phones support	...	<p>Port no.: 37777 or access by a cloud (P2P)  • Android: Free application <a href="#">DMSS</a>  • iOS (iPhone): Free application <a href="#">DMSS</a></p> <p>See how to configure the P2P function in Dahua recorders and how to enable the mobile application</p>
Alarm inputs / outputs	...	16 / 6
PTZ control	...	<p>IP Speed Dome Cameras  Control compatible with coax PTZ HD-CVI  RS-485 - PELCO-D/P</p>
Motion Detection	...	Split the screen into zones



Main features	...	<ul style="list-style-type: none"> <li>• Cooperation with Dahua devices working in the concept of the Internet of Things (IoT),</li> <li>• POS - support the machines installed in the points of sales and displaying the date from them as overlaid text on selected channel window,</li> <li>• Coax Audio/Alarm support,</li> <li>• Intelligent image analysis : crossing the line (tripwire), intrusion - classification of people and vehicles</li> <li>• advanced face recognition and search functions</li> <li>• Filtering of false alarms based on the recognition of persons and vehicles</li> <li>• Support for up to 10 face databases, including 20 000 face images</li> <li>• Detection of faces not included in the device database</li> <li>• Searching for faces in recordings based on max 8 selected photos with the ability to independently set the similarity threshold for each photo</li> <li>• SMD PLUS - searching for an object classified as: human, motor vehicle, non-motor vehicle</li> <li>• Port RS-232</li> </ul>
USB	...	<ul style="list-style-type: none"> <li>• 2 pcs USB 3.0</li> <li>• 1 pcs USB 2.0</li> </ul>
Mouse support	...	✓
IR remote controller in the set	...	—
Power supply	...	100 V ... 240 V AC @ 50 / 60 Hz
Color	...	Black
Weight	...	4.94 kg
Dimensions	...	440 x 420 x 76 mm, RACK 19", 2U

Supported languages	...	Polish, English, Czech, Danish, Finnish, French, Greek, Spanish, Dutch, German, Portuguese, Russian, Romanian, Serbian, Slovak, Slovenian, Hungarian, Italian
Manufacturer / Brand	KLIMAS	DAHUA
Guarantee	2 years	5 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
 Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
 Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00