


Code: ZE-280-2

ELECTROMAGNETIC LOCK **ZE-280-2**

Net: 155.40 PLN Gross: 191.14 PLN

Electromagnetic lock, surface, single. With a simple design and modern manufacturing technology, is a reliable device to lock doors and gates. Force an entry closed by lock requires the use of force of > 280 kg. It operates reversibly - it is open when power is off. The lock is composed of two elements: electromagnet (usually mounted in the frame) and lock plate (usually mounted in the door). Error free operation of the lock is a result of lack the mechanical elements, which after some time become damaged. Device is designed for indoor use only.



SPECIFICATION

Load capacity:	280 kg
Rated voltage:	12 V DC / 24 V DC
Current consumption:	500 mA / 250 mA
Weight:	1.73 kg (total)
Dimensions:	<ul style="list-style-type: none">• 250 x 47 x 28 mm (electromagnetic lock)• 180 x 38 x 12 mm (metal plate)
Guarantee:	2 years

PRESENTATION




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


Dimensions:



Internal view (after open the enclosure):



Typical operation diagram:



In the kit:

