

Code: MK-1.5/POD

FOOTING FOR MASTS MK-1.5/POD

Net: 94.36 EUR Gross: 94.36 EUR

Mast base for free-standing truss masts from MK-1.5 series.




SPECIFICATION

Material:	• Steel galvanized, • Aluminum
Main features:	The design allows the mast to tilt up to 60° from the vertical
Weight:	3.98 kg
Dimensions:	355 x 355 x 89 mm
Guarantee:	3 years
Manufacturer / Brand:	DELTA

PRESENTATION

Hinges allow to tilt the mast to the horizontal position:





The MK-1.5/POD base with the MK-1.5 truss mast:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



The MK-1.5/POD base mounted to the MK-1.5/KOT anchor and the MK-1.5 truss mast:





Prepared form-work for the foundation of the mast:




Poured foundation of the mast with embedded anchor and established base:




Ready foundation with the set mast:




Bottom view:



Top view:



Side view:



In the kit:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------