

Code: MK-1.5/POD-Z

BASE TO BURY MK-1.5/POD-Z

Net: 371.87 EUR Gross: 371.87 EUR

The base is designed to be buried in the ground, dedicated to the free-standing truss masts of MK-1.5 series. It does not require filling with concrete.

After packing, the base fits on the pallet and can be easily transported by a passenger car.




SPECIFICATION

Material:	Aluminum
The depth of the trench:	~ 1.26 m
Main features:	• The total resistance to corrosion • It does not require filling with concrete • The design allows the mast to tilt up to 60° from the vertical • After packing, the base fits on the pallet and can be easily transported by a passenger car
Support:	max. 4 x Truss Mast MK-1.5
Weight:	37,6 kg
Dimensions:	1380 x 1200 x 1365 mm
Guarantee:	2 years

PRESENTATION

The MK-1.5/POD-Z base with the MK-1.5 truss mast:




- 1. MK-1.5
- 2. Ground level



Hinges allow to tilt the mast to the horizontal position:








The mounting of the horizontal component, which will be buried:






Dimensions:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60