

Code: PROETER/2.4

OMNIDIRECTIONAL ANTENNA **PROETER/2.4** 2.4 GHz

Net: **42.84 EUR** Gross: **42.84 EUR**

The PROETER/2.4 is an omnidirectional antenna designed for the use in base stations providing service to a medium number of clients, up to 1 ... 2 km distance.



SPECIFICATION

Frequency range:	2.4 GHz ... 2.48 GHz
Gain :	10 dBi
Polarization:	Vertical
Horizontal beam width (H):	360 °
Vertical beam width (V):	23 °
VSWR:	1:1.5
Connector:	N socket
Mast mounting diameter:	33 ... 50 mm
Housing:	PVC, hermetic
Weight:	0.34 kg
Dimensions:	685 x 80 x 35 mm
Guarantee:	2 years

PRESENTATION

Antenna mounting on the mast:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Antenna connector:



Polar pattern for vertical polarization (respectively horizontal and vertical plane):



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

