

Code: LUMENA-12TV1-55

HD-TVI SPEED DOME CAMERA OUTDOOR **LUMENA-12TV1-55** - 1080p

5.1 ... 46 mm

Net: **152.76 EUR** Gross: **152.76 EUR**

Megapixel camera with 1/3" Sony CMOS sensor and HD-TVI (High Definition Transport Video Interface).

The HD-TVI interface allows to transmission of analog video signal via coaxial cable at resolutions up to 1080p. It enables the transmission of HD resolution images for even 500 m distance with keeping the low costs of the installation. During transmission there are no delays and is maintained the original, high quality image.



SPECIFICATION

Standard:	HD-TVI
Sensor:	1/3 " Sony CMOS IMX222
Matrix size:	2.1 Mpx
Resolution:	1920 x 1080 - 1080p
Range of IR illumination:	50 m
IR illuminator power adjustment:	Automatic
Lens:	5.1 ... 46 mm
View angle:	50 ° ... 5.9 ° (manufacturer data) 50 ° ... 7.4 ° (our tests result)
Optical zoom:	x 10
Digital zoom:	x 16
Rotation speed depending on ZOOM level:	✓
Horizontal rotation range:	360 ° continuous
Vertical rotation range:	-3 ° ... 90 °
Rotation speed (manual control):	0.02 °/s ... 200 °/s (horizontal) , 0.02 °/s ... 75 °/s (vertical)
PTZ control:	• The ability to control via coaxial cable from recorder • Via interface RS-485
Protocols:	Pelco-D, Pelco-P
S/N ratio:	> 50 dB
Video output:	1 Vpp 75 Ω, HD-TVI

Number of presets:	220
Route settings:	3
Horizontal scan:	✓
Park action:	Call the set function (tour, scan, etc.) after specified dwell time
Main features:	• ICR - Movable InfraRed filter • 3D-DNR - Digital Noise Reduction • IR illuminator optimization • Privacy zones • BLC - Back Light Compensation • Auto White Balance
OSD menu:	✓
Vandal-proof:	✓
"Index of Protection":	IP66
Power supply:	12 V DC / 940 mA
Housing:	Speed Dome, Metal
Color:	White
Operation temp:	-40 °C ... 50 °C
Weight:	2.055 kg (with bracket)
Dimensions:	233 x 206 x 143 mm (with bracket)
Supported languages:	English
Guarantee:	2 years


PRESENTATION



Small dimensions camera:



Mounting dimensions:



Camera connectors:




In the kit:



OUR TESTS

Camera image at artificial illumination (about 30Lux):




Camera image at night conditions with internal built-in IR illuminator on:



Camera image at direct strong light opposite to camera:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

