

Code: PFS4206-4P-120

INDUSTRIAL POE SWITCH **PFS4206-4P-120** 4-PORT + 2 x SFP DAHUA

Net: **689.00 PLN** Gross: **847.47 PLN**



The PFS4206-4P-120 PoE Switch is an industrial type device enabling fluent network transmission at rates 10 / 100 / 1000 Mbps. Devices of this type can be used in installations realized in industrial facilities in harsh environmental conditions like high or low temperature. Attention! The SFP port requires the SFP module, which is available in our offer.

SPECIFICATION

| | |
|-------------------------------|--|
| Standards: | IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3z, IEEE 802.3x, IEEE 802.3af, IEEE 802.3at |
| Management via WWW / console: | ✓ |
| LAN ports: | <ul style="list-style-type: none">• 1 x RJ45 10/100/1000 Base-T + High PoE / PoE (802.3af/at)• 3 x RJ45 10/100 Base-T + PoE (802.3af/at)• 2 x port SFP 1000 Base-X |
| Transmission speed: | <ul style="list-style-type: none">• 10 / 100 Mb/s - 3 LAN & PoE ports• 10 / 100 / 1000 Mb/s - 1 Port LAN & PoE• 1000 Mb/s - 2 SFP ports |
| Maximal output power: | <ul style="list-style-type: none">• 30 W / port PoE @ PoE (802.3af/at)• 60 W @ High PoE |
| Maximal total power: | 120 W |
| MAC addresses table: | 8k - Auto update of MAC addresses table |
| Transmission method: | Store and Forward |
| Main features: | <ul style="list-style-type: none">• Switch is web managed• Auto-learning and Auto-aging functions support for MAC addresses• Data Flow Control• protection against lightning discharges and voltage differences and strokes between devices• Industrial wide temperature design. |
| LED diodes: | Power, Link/Act |
| Power supply: | 53 V DC / 2.3 A (power adapter included) |
| Operation temp: | -30 °C ... 65 °C |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

| | |
|-----------------------|-------------------|
| Assembly: | DIN rail (TS-35) |
| Weight: | 0.45 kg |
| Dimensions: | 150 x 100 x 30 mm |
| Manufacturer / Brand: | DAHUA |
| Guarantee: | 3 years |

PRESENTATION

Front panel:



Mounting side view:



Power connector:



In the kit:

