

Code: PFS3206-4P-96

**INDUSTRIAL POE SWITCH PFS3206-4P-96 4-PORT + 2 x SFP DAHUA**Net: **130.24 USD** Gross: **160.20 USD**

The PFS3206-4P-96 PoE Switch is an industrial type device enabling fluent network transmission at rates 10 / 100 / 1000 Mbps. Devices of this type can be used in installations realized in industrial facilities in harsh environmental conditions like high or low temperature.

Attention! The SFP port requires the SFP module, which is available in our offer.

**SPECIFICATION**

Standards:	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3z, IEEE 802.3x, IEEE 802.3af, IEEE 802.3at
Management via WWW / console:	—
LAN ports:	<ul style="list-style-type: none"> <li>• 1 x RJ45 10/100/1000 Base-T + High PoE / PoE (802.3af/at),</li> <li>• 3 x RJ45 10/100 Base-T + PoE (802.3af/at),</li> <li>• 2 x port SFP 1000 Base-X</li> </ul>
Transmission speed:	<ul style="list-style-type: none"> <li>• 10 / 100 Mb/s - 3 LAN &amp; PoE ports,</li> <li>• 10 / 100 / 1000 Mb/s - 1 Port LAN &amp; PoE,</li> <li>• 1000 Mb/s - 2 SFP ports</li> </ul>
Maximal output power:	<ul style="list-style-type: none"> <li>• 30 W / port PoE @ PoE (802.3af/at),</li> <li>• 60 W @ High PoE</li> </ul>
Maximal total power:	96 W
MAC addresses table:	8k - Auto update of MAC addresses table
Transmission method:	Store and Forward
Main features:	<ul style="list-style-type: none"> <li>• Auto-learning and Auto-aging functions support for MAC addresses</li> <li>• Data Flow Control</li> <li>• protection against lightning discharges and voltage differences and strokes between devices</li> <li>• Industrial wide temperature design.</li> </ul>
LED diodes:	Power, Link/Act
Power supply:	48 V DC / 1.5 A (power adapter included)
Operation temp:	-30 °C ... 65 °C
Assembly:	DIN rail (TS-35)

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
 POL; 60-713 Poznań; Graniczna 10  
 e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Weight:	0.45 kg
Dimensions:	150 x 100 x 30 mm
Manufacturer / Brand:	DAHUA
Guarantee:	<b>3 years</b>

## PRESENTATION

Front panel:



Mounting side view:



Power connector:



In the kit:

