

Code: GTS-P1-06-42SFP

## INDUSTRIAL POE SWITCH **GTS-P1-06-42SFP** 4-PORT + 2 x SFP

Net: **808.00 PLN** Gross: **993.84 PLN**

The GTS-P1-06-42SFP PoE Switch is an industrial type device enabling fluent network transmission at rates 10 / 100 Mbps.




### SPECIFICATION

Standards:	IEEE 802.3af, IEEE 802.3at, IEEE 802.3, IEEE 802.3u, IEEE 802.3az, IEEE 802.3ab, IEEE 802.3z
Management via WWW / console:	—
LAN ports:	<ul style="list-style-type: none"><li>• 4 x RJ45 ( 4 PoE ),</li><li>• 2 x Uplink ( 2 SFP ports )</li></ul>
Transmission speed:	<ul style="list-style-type: none"><li>• 10 / 100 Mb/s - 2 x Port Uplink - SFP,</li><li>• 10 / 100 Mb/s - 4 x LAN &amp; PoE ports</li></ul>
Maximal output power:	30 W / port PoE
Maximal total power:	60 W
MAC addresses table:	1k
Main features:	<ul style="list-style-type: none"><li>• Possibility to mount on a wall, or on the DIN TS-35 rail</li><li>• 2 x Port Uplink</li><li>• Auto update of MAC addresses table</li><li>• RESET button</li><li>• VLAN - Turning by switch</li><li>• Range PoE : 250 m - VLAN mode</li></ul>
LED diodes:	Power, Link/Act, PoE, VLAN
Certificates:	CE
Power supply:	53 V DC / 1.25 A (power adapter included)
Housing type:	DIN
Operation temp:	-40 °C ... 70 °C
Weight:	0.41 kg
Dimensions:	175 (225) x 110 x 42 mm (with bracket)
Guarantee:	2 years

### PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Front view:



The device with the handle mounted:



Mounting side view:



Side view:



In the kit:

