

Code: GTS-P1-08-4G2G

INDUSTRIAL POE SWITCH **GTS-P1-08-4G2G** 6-PORT + 2 x SFP

Net: **177.53 EUR** Gross: **218.36 EUR**

Due to the reliability and ensuring high quality of transmission, the GTS-P1-08-4G2G 10-port PoE switch is an ideal solution for applications in CCTV IP installations.



SPECIFICATION

Standards:	IEEE 802.3af, IEEE 802.3at, IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3z
Management via WWW / console:	—
LAN ports:	<ul style="list-style-type: none">• 4 x RJ45 (4 PoE (802.3af/at)),• 2 x Uplink (port SFP / RJ45)
Transmission speed:	<ul style="list-style-type: none">• 10 / 100 / 1000 Mbps - 2 x Port Uplink,• 10 / 100 / 1000 Mbps - 4 x LAN & PoE ports
Maximal output power:	30 W / port PoE
Maximal total power:	60 W
MAC addresses table:	4k
Main features:	<ul style="list-style-type: none">• Possibility to mount on a wall, or on the DIN TS-35 rail• 2 x Port Uplink• Mounts for mounting the device in the RACK 10" system and a holder for mounting on the DIN TS-35 rail included
LED diodes:	Power, Link/Act, PoE, Uplink 10/100/1000 Mb/s
Certificates:	CE
Power supply:	53 V DC / 1.25 A (power adapter included)
Housing type:	DIN
Operation temp:	-40 °C ... 75 °C
Weight:	0.85 kg
Dimensions:	184 x 144 x 63 mm
Guarantee:	2 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Front view:



Side view:



Mounting side view:





In the kit:

