

Code: XPOE-6-11-S2

## SWITCH POE **XPOE-6-11-S2** 5-PORT ATTE

Net: 70.26 EUR Gross: 70.26 EUR



The XPOE-6-11-S2 switch is designed to supply IP cameras operating in the IEEE 802.3af/at standard. 5 ports support Power over Ethernet (PoE) function.

The LONG RANGE operation mode allows to increase the range of power and data transmission for ports LAN 1 ... LAN 4 to 280m while limiting the network bandwidth for these ports to 10Mbps.

### SPECIFICATION

LAN ports:	<ul style="list-style-type: none"><li>• 1 x RJ45 10/100 Base-T - Uplink</li><li>• 5 x RJ45 10/100 Base-T, PoE 802.3af/at / Passive PoE</li></ul>
Management:	—
LED diodes:	Power, LAN
Transmission speed:	10 / 100 Mbps : 1 Port LAN + 5 LAN & PoE ports
Maximal output power:	<ul style="list-style-type: none"><li>• 40 W @ Passive PoE - 1 ... 4 ports,</li><li>• 70 W @ Passive PoE - Port 5,</li><li>• 30 W @ PoE (802.3af/at) - 1 ... 5 ports</li></ul>
Maximal total power:	50 W
Operation modes:	<ul style="list-style-type: none"><li>• Standard : 100 m @ 10/100 Mb/s - 1 ... 6 ports</li><li>• Long Range : 280 m @ 10 Mb/s - 1 ... 4 ports ; 100 m @ 10/100 Mb/s - 5, 6 ports</li></ul>
Main features:	<ul style="list-style-type: none"><li>• The ability to independently turn on and off the PoE power for each of the LAN 1 ... LAN 5 ports</li><li>• Wide input voltage range</li><li>• Up to 70W power on the LAN_5 PoE IN/OUT port</li><li>• Powered by a screw connector (<math>V_{in}</math>) or from another switch PoE PASSIVE (PoE IN/OUT port)</li><li>• Cascade powering possible - one switch supplies another one - PoE IN/OUT port</li><li>• Output voltage for PoE devices <math>V_{out} = V_{in}</math></li><li>• "Index of Protection" : IP56</li><li>• There are cable glands in the housing : 6 x M16</li></ul>
Power supply:	10 ... 56 V DC
Operation temp:	-25 °C ... 50 °C
Weight:	0.34 kg

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


Dimensions:	158 x 118 x 77 mm
Manufacturer / Brand:	ATTE
Guarantee:	2 years



## PRESENTATION

Internal view of the housing:



Internal view of the housing:





Mounting side view:



In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------