

Code: HS4408-4ET-96

SWITCH POE **HS4408-4ET-96** 4-PORT + 4 x SFP DAHUA

Net: **117.38 EUR** Gross: **117.38 EUR**

The HS4408-4ET-96 PoE Switch is an industrial type device enabling fluent network transmission at rates 10 / 100 Mbps.

Attention! The SFP port requires the SFP module, which is available in our offer.



SPECIFICATION

LAN ports:	• 4 x RJ45 (10/100/1000 Base-T, 3 PoE (802.3af/at) + 1 PoE (802.3bt) / Hi-PoE / PoE (802.3af/at)) • 4 x Uplink (port SFP - 1000 Base-X)
Management:	✓
Transmission speed:	• 10 / 100 LAN & PoE ports • 1000 SFP ports
Management:	
Maximal output power:	• 30 W / port PoE 802.3af/at • 90 W / port PoE 802.3bt
Maximal total power:	96 W
Operation modes:	• Extend On : 250 m, 10 Mbps • Extend Off : 100 m, 10 / 100 Mbps
Main features:	• DIN, TS-35 rail mounting • Data Flow Control • protection against lightning discharges and voltage differences and strokes between devices • Industrial wide temperature design. • Intelligent management of Power Supply Unit power's output stage • PoE (802.3af), PoE (802.3at), Hi-PoE, PoE (802.3bt) • PoE Watchdog / PD Alive mode - monitoring of the ports that power PoE devices and automatic restart by cutting off the power supply when an unresponsive device is detected • The ability to connect two power adapters - redundant power supply • The device supports 8-pin power supply
LED diodes:	Power, Link/Act, PoE

Certificates:	CE
Power supply:	48 ... 57 V DC (power adapter included)
Housing type:	DIN
Operation temp:	-30 °C ... 65 °C
Weight:	0.618 kg
Dimensions:	150 x 110 x 42 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front view:



Top view:



Mounting side view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------