

Code: TL-SF1008P

Switch PoE **TL-SF1008P** TP-LINK 8-PORT

Net: **39.78 EUR** Gross: **48.93 EUR**

Due to reliability and ensuring high quality of transmission, the TL-SF1008P 10/100M 8-port PoE desktop type switch is perfect solution for expanding home or office network. Four ports support Power over Ethernet (PoE) function.

This feature allows to expand the network coverage in areas where there is no access to AC power lines/outlets and to employ access points, IP cameras, IP phones, etc. The switch has the priority* function, which helps protect main functions of the system in case of overloading. The power consumption of the devices powered by PoE is up to 53W. The devices connected to the ports with higher priority are powered in the first place. **ATTENTION!** Order of priority: port-1 > port-2 > port-3 > port-4. This feature protects the system in case of overloading.



SPECIFICATION

Standards:	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3x, PoE (802.3af)
Protocols:	CSMA/CD
Management via WWW / console:	<input type="checkbox"/>
LAN ports:	• 8 x RJ45 (4 PoE)
LED diodes:	Power, Link/Act, PoE
Transmission speed:	• Ethernet - 10 Mbps Half Duplex, 20 Mbps Full Duplex • Fast Ethernet - 100 Mbps Half Duplex, 200 Mbps Full Duplex
Maximal output power:	15.4 W / port PoE
Maximal total power:	53 W
MAC addresses table:	1k
Certificates:	FCC Class B, CE
Power supply:	48 V DC / 1.25 A (power adapter included)
Weight:	0.8 kg
Dimensions:	171 x 98 x 27 mm
Manufacturer / Brand:	TP-LINK
Guarantee:	2 years

PRESENTATION

Front panel:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Rear panel:



In the kit:



OUR OPINIONS



- Using in IP surveillance system applications and simultaneous occupation of all ports of the switch may occur visible delays and interruptions in the image.