

Code: RG-NBS3100-24GT4SFP-P

## SWITCH POE **RG-NBS3100-24GT4SFP-P** 24-PORT REYEE

Net: **549.47 EUR** Gross: **549.47 EUR**

Due to the reliability and ensuring high quality of transmission, the RG-NBS3100-24GT4SFP-P 24-port PoE switch is an ideal solution for applications in CCTV IP installations. 24 ports support the Power over Ethernet (PoE) function.



### SPECIFICATION

LAN ports:	<ul style="list-style-type: none"><li>• 24 x RJ45 10/100/1000 Base-T ( 24 x PoE (802.3af/at) ),</li><li>• 4 x port SFP 1000 Base-X - Uplink</li></ul>
Management:	✓
Transmission speed:	<ul style="list-style-type: none"><li>• 10/100/1000 Mbps - 24 x Gigabit Ethernet</li><li>• 1000 Mbps - 4 x port SFP</li></ul>
Maximal total power:	370 W
Switching performance:	56 Gb/s
Packet redirection speed:	41.67 Mpps
MAC addresses table:	8k
Certificates:	CE, RoHS
Number of fan coolers:	1
Mobile phones support:	Android: Free application <a href="#">Ruijie Reyee</a> iOS (iPhone): Free application <a href="#">Ruijie Reyee</a>
Jumbo Frame:	9 kB
Default IP address:	10.44.77.200
Main features:	<ul style="list-style-type: none"><li>• Can be mounted in a Rack cabinet</li><li>• Switch is managed through the web and the cloud (Ruijie Reyee application)</li><li>• IEEE 802.1Q standard support, up to 4096 VLAN groups and 4K VIDs</li><li>• DHCP client</li><li>• BPDU Filtering/Guard</li><li>• Loop back detection</li><li>• Spanning Tree STP/RSTP</li><li>• Errdisable Recovery</li><li>• Up to 8 aggregation groups and up to 8 ports per group</li><li>• IGMP Snooping V1/V2/V3</li><li>• DHCP snooping support</li><li>• Port mirroring function</li><li>• Loop Protection</li><li>• IEEE802.3x Flow Control</li><li>• MTBF (Mean Time Between Faults) &gt; 200.000 h</li></ul>
Operation temp:	0 °C ... 50 °C
Permissible relative humidity:	10 % ... 90 % (non-condensing)
Protections:	Protection against lightning discharges : 6 kV
Power supply:	100 V ... 240 AC

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Power consumption:	≤ 443 W
Weight:	4.21 kg
Dimensions:	440 x 295 x 44 mm
Manufacturer / Brand:	RUIJIE / REYEE
Guarantee:	<b>5 years</b>

## PRESENTATION

Front panel:



Rear view:



In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
 POL; 60-713 Poznań; Graniczna 10  
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60